



Why Choose Oberfields?



AMERICAN-MADE WORLD-CLASS MANUFACTURING

Oberfields is proud to be American-Owned and Made. We manufacture our products within our three manufacturing facilities in central Ohio, and employ over one hundred employees.



NETWORK OF DEALERS & AUTHORIZED CONTRACTORS

You can find our products throughout the Midwest, with direct sales locations in and around central Ohio. We have a valued distributor network who are knowledgeable about our products and have our products on display. We take great pride in providing in-depth regional training programs for contractors to become Authorized Oberfields Contractors. To connect with a distributor or authorized contractor in your area, please visit oberfields.com



EXPERIENCED PROFESSIONAL ADVICE

We are more than your supplier, we are your partner. We recognize the importance of sales support and inventory. We have a phenomenal team that's trained to be your resource. Our knowledgeable staff provides expertise from site design and installation techniques, to delivery.



ONE-SOURCE ORDERING

Pavers. Retaining Walls. Step Units. Natural Stone, Structures, Sealers and Cleaners, We've got you covered with one call.





THE DURA-DENZ DIFFERENCE

Dura Denz is exclusive to Oberfields and represents a dramatic break-through in concrete casting technology. Our Americana Collection line of premium pavers are infused with Dura Denz. A specially formulated dense top layer that creates a smooth, extra-hard surface that resists chipping, scratching and fading. The result is products that are not only beautiful, but extremely durable

.... Standard concrete pavers are coarse with visible aggrega on surface. They

are manufactured to exceed all ASTM


standards for qu and strength



....

Dura Denz ogy provides onal paver ith color infused roughout and a top layer that's colorfast silient to v nd tear. ASTM compliant.





Contents

INSPIRATION

What Outdoor Living Should Be®1
Find your Contractor/Dealer2-3

PAVERS

Lexington [®]	6-7
Malibu®	8-9
Ozark [®]	10-11
Manhattan [®]	12-13
Newport [®]	14-15
Plymouth [®]	16-17
Jamestown [®]	18-19
Vintage Flat Top Washington®	
Grand Flagstone	
Dimensional Flagstone	23
Special Reserve Travertine & Marble	24-25
Natural Stone	
Natural Stone Accessories	

WALLS

Edington Wall Stone®	32-33
Belvedere Wall	34-35
Dimensional Wall	
Kodah Wall	38-39
Outcropping	40-41
Non-Weathered Versa-Lok®	
Non-Weathered Versa-Lok® Mosaic®	44-45
Weathered Versa-Lok® Mosaic®	
CornerStone® 100	
MagnumStone [®]	50-51

STAIR TREADS | WALL COPINGS | PIER CAPS

Bullnose Pavers	54-55
Olentangy Bluff Tread [™]	56-57
Dimensional and Irregular Steps	58-59
Superior Steppers	60-61
Dimensional Coping	62-63
Column Caps	64-65

SAND | SEALERS | KITS

Dura Denz Sand and Sealers	7
Kits	1

GENERAL INFORMATION

Kichler _® Lighting	72
Structures	73
Paver Patterns	74-75
Packaging Reference Guide	
Warranty	83



INSPIRATION

WHAT OUTDOOR LIVING SHOULD BE®

PAVERS WALLS SAND SEALERS LIGHTING STRUCTURES





Find your authorized contractor & dealer today



Simply Open the camera app on your phone and scan the code to get in touch with our contractors/dealers.

Our goal is to provide you with quality paver & wall products for your project. We understand that it's a large investment. If you need help with finding the right contractor for your project, we can help. Our goal is to recommend qualified, knowledgeable, certified hardscape contractors. The hardscape contractors found on our Oberfields Authorized Contractor list have shown a proven knowledge on the basics of paver and retaining wall construction and installation. Each company listed has at least one individual on staff that has attended our two-day training course and passed our Certification Exam. While we try our best to recommend qualified contractors for your project, Oberfields does not guarantee the workmanship of the installer. Please ask your selected contractor for references and about any warranty or guarantees they might provide on workmanship.

FOLLOW THESE STEPS TO SELECT THE IDEAL CONTRACTOR TO BRING YOUR PROJECT TO LIFE.

STEP ONE

It's always a good idea to interview several contractors and find the best match for your project and personality. The contractor you choose will be at your project for days or weeks. Talk about working hours, how many people to expect at the project, what kind of equipment they will be using. Make sure you have a good rapport with the person and communicate your wants and needs.

STEP THREE

Once you reward the project to a specific contractor, get a written contract of the work to be performed. Make sure you understand the scope of your project and that any changes midway through the project, could result in additional costs to the project.

STEP TWO

Once you decide on the work you want to complete, confirm that the contractor has done that type of work in the past. Ask for pictures, references, or go by other projects they have completed and make sure you are happy with their quality of work.

Make sure to ask if they are an Oberfields Authorized Contractor.

STEP FOUR

Once your project is complete, we would love to see finished photos! Photos can be submitted to Oberfields at **photos@oberfields.com.** Photos may be used in social media or future catalog publications.

Utilize our network of authorized contractors and dealers to build your happy place

We have a valued distributor network throughout the Midwest who are knowledgeable about our products and have our products on display. We take great pride in providing in-depth regional training programs for contractors to become Authorized Oberfields Contractors.

Learn more at Oberfields.com



Lasting memories happen here

CITE COLOR OF CALL

LEXINGTON ®	A M E
MALIBU [®]	RIC
OZARK [®]	A N A
MANHATTAN®	
NEWPORT ®	COLLE
PLYMOUTH ®	S
JAMESTOWN ®	TION

VINTAGE FLAT TOP WASHINGTON®


GRAND FLAGSTONE

DIMENSIONAL FLAGSTONE

SPECIAL RESERVE TRAVERTINE & MARBLE

NATURAL STONE

NATURAL STONE ACCESSORIES





Lexington®



Lexington 10 4 ¹/₈" x 5 ¹/₂" x 2 ³/₈" (Charcoal Only)



Lexington 14 $5\frac{1}{2} \times 5\frac{1}{2} \times 2\frac{3}{8}$



Lexington 21 $5\frac{1}{2} \times 8\frac{1}{4} \times 2\frac{3}{8}$



Canyon Creek Blend



Flagstone Blend



Charcoal



Granite Blend




Earth Blend



Storm Blend

PAVERS







Malibu®

Packaged Together



Malibu Small Rectangle $4^{3}/_{4}$ " x $9^{3}/_{8}$ " x $2^{3}/_{8}$ "



Malibu Square $9^{3}/8^{"} \times 9^{3}/8^{"} \times 2^{3}/8^{"}$



Malibu Large Rectangle $9^{3}/_{8}$ " x $14^{1}/_{8}$ " x $2^{3}/_{8}$ "



Canyon Creek Blend



Granite Blend



Earth Blend




Storm Blend



Flagstone Blend

PAVERS







Ozark®

Packaged Together 1



Ozark Small Rectangle 7¹/₈" x 14¹/₈" x 2³/₈"



Ozark Square $14^{1}/_{8}$ " x $14^{1}/_{8}$ " x $2^{3}/_{8}$ "





Canyon Creek Blend



Granite Blend



Earth Blend



Storm Blend



Flagstone Blend

PAVERS







Manhattan®

Packaged Together



Manhattan Small Rectangle $7\frac{1}{8}$ " x $14\frac{1}{8}$ " x $2\frac{3}{8}$ "

Canyon Creek Blend

Granite Blend



Manhattan Square 14 $^{1}/_{8}$ " x 14 $^{1}/_{8}$ " x 2 $^{3}/_{8}$ "



Earth Blend




Storm Blend

Manhattan Large Rectangle 14 $^{1}\!/_{8}$ " x 21 $^{1}\!/_{4}$ " x 2 $^{3}\!/_{8}$ "



Flagstone Blend

PAVERS







Newport®

Packaged Together



Newport Small Rectangle 11 $\frac{3}{4}$ × 17 $\frac{3}{4}$ × 2 $\frac{3}{8}$



Newport Square 11 $\frac{3}{4}$ x 11 $\frac{3}{4}$ x 2 $\frac{3}{8}$



Canyon Creek Blend



Granite Blend



Earth Blend



Storm Blend

Newport Large Rectangle $11^{3}/_{4}$ " x 23 $^{5}/_{8}$ " x 2 $^{3}/_{8}$ "



Flagstone Blend

PAVERS





DURA DENZ

Plymouth®



Plymouth 4" x 8" x 2 ³/₈"



Plymouth 4" x 8" x 3¹/₈" (Special Order)



Plymouth False Joint 4" x 8" x 3¹/₈" (Special Order)



Cream



Flagstone Blend





Dark Chocolate



Granite Blend



Earth Blend







Jamestown®



Jamestown 2 ⁵/₈" x 7 ⁷/₈" x 2 ³/₈"




Burgundy Smooth



Charcoal Smooth



Charcoal Textured (While Supplies Last)



Wintage Granite Blend



Vintage Flat Top Washington®







 $5^{1}/_{2}$ " x $8^{1}/_{4}$ " x $2^{3}/_{8}$ "

Vintage Flat Top Washington[®] 21

Vintage Canyon Creek Blend



Vintage Charcoal



Vintage Flagstone Blend



Vintage Granite Blend



Vintage Earth Blend



Grand Flagstone^{*}




Cuyahoga Blend (Special Product Only)



Mohican Blend (Special Product Only)



Scioto Blend (Special Product Only)



Packaged Together






Dimensional Flagstone^{*}




Cuyahoga Blend (Special Product Only)



Mohican Blend (Special Product Only)



Scioto Blend (Special Product Only)



— Packaged Together

- a) Dimensional Flagstone* $6" \times 12" \times 2"$
- b) Dimensional Flagstone* 12" \times 12" \times 2"
- c) Dimensional Flagstone* 12" x 18" x 2"


()

- d) Dimensional Flagstone* 18" x 18" x 2"
- e) Dimensional Flagstone* 18" x 24" x 2"
- f) Dimensional Flagstone* $24'' \times 24'' \times 2''$

PAVERS


GRAND FLAGSTONE*

DIMENSIONAL FLAGSTONE





Special Reserve Travertine & Marble



Packaged Together (French Pattern)

- a) Small Rectangle* 6" x 12" x $1^{1}/_{4}$ "
- b) **Small Square*** 8" x 8" x 1¹/₄"
- c) Small Rectangle* 8" x 16" x 1 $^{1}\!/_{4}$ "
- d) Large Square* 16" x 16" x 1¹/₄"
 e) Large Rectangle* 16" x 24" x 1¹/₄"
- f) Bullnose 12" x 24" x 1 ¹/₄", 12" x 24" x 2"
- * French Pattern



Ice Marble



lvory Tusk








Tahoe Marble



Sand Dune



Silver



🌑 Slate Grey



PAVERS

Natural Stone





Natural Stone 11.81" x 23.62" x 1"

Natural Stone 17.72" x 23.62" x 1"





Natural Stone 23.62" x 35.43" x 1"



Natural Stone Limestone 11.81" x 23.62" x 1"

NATURAL STONE COLORS



Bronte



Fossil



Slate Grey

LIMESTONE COLORS



Kota Black




Natural Stone Pier Cap

Natural Stone Pool Coping

9 Natural Stone Rockface Coping



Natural stone accessories are special order products.



Natural Stone Steps







Inspiring Spaces

EDINGTON WALL STONE°

BELVEDERE WALL

DIMENSIONAL WALL

KODAH WALL

OUTCROPPING WALL


NON-WEATHERED VERSA-LOK®

NON-WEATHERED VERSA-LOK° MOSAIC°

WEATHERED VERSA-LOK° MOSAIC°

CORNERSTONE° 100

MAGNUMSTONE®



Canyon Creek Blend



Edington Wall Stone®





Edington Wall Stone® 12" x 8" x 4"

Edington Wall Stone[®] Wedge 12" x 8" x 4"



Non-Tumbled Edington Wall Stone $^{\circ}$ 12 " x 8 " x 4



Non-Tumbled Edington Wall Stone[®] Wedge 12 " x 8 " x 4 "



Canyon Creek Blend





Earth Blend



Flagstone Blend



Granite Blend




Storm Blend



EDINGTON° FIRE PIT KIT

Build a fire pit in no time with our Edington® Fire Pit Kit. This kit has an outside diameter of 48" and a height of 12". Kit includes a steel metal ring. Optional precast caps are available for a different look at an additional cost. Great for small fires, roasting marshmallows and hot dogs.





Belvedere Wall*



Belvedere* Wall, Corner and Coping

Wall blocks come in different sizes to create a double sided wall

Belvedere also available in corners and copings.



Cuyahoga Blend



Mohican Blend



Scioto Blend



BELVEDERE FIRE PIT KIT

The Belvedere Fire Pit creates a rustic sophistication all its own. The Belvedere Fire Pit has an outside diameter of 50" and a height of 14".

Belvedere Firepit Pallet

Each pallet contains all of the 3" and 6" tall pieces and the coping needed to create the fire pit shown. Fire pit includes black steel ring.





Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.



Dimensional Wall*



Dimensional Wall Straight Block* 12" x 8" x 4"



Dimensional Wall Wedge Block* 12" x 8" x 4"



Cuyahoga Blend




Mohican Blend



Scioto Blend

WALLS



Scioto Blend



38

Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.



Kodah Wall*



Kodah Wall 12" x 10.5" x 6"



Kodah Wall 21" x 10.5" x 6"



Kodah Wall 30" x 10.5" x 6"



Kodah Wall 42" x 10.5" x 6"



Kodah Wall Corner 21" x 10.5" x 6"

___ Packaged Together






Cuyahoga Blend

Mohican Blend



Scioto Blend





Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.



$\mathsf{Outcropping}\,\mathsf{Wall}^*$



Outcropping Wall Stone* 12" H x 42" L (unit shown is one of a 12 piece modular system)





Outcropping Wall Stone Corner 6"* 6" H x 39" L x 27" D

Outcropping Wall Stone Corner 6"* - 6" H x 39" L x 27" D Outcropping Wall Stone Corner 12"* - 12" H x 48" L x 30" D

Outcropping Wall Stone* 18" H x 60" L x 18" D (unit shown is one of a 12 piece modular system)




Cuyahoga Blend



Mohican Blend



Scioto Blend



Storm Blend



Non-Weathered Versa-Lok®



Versa-Lok® 16" (face) x 14" (rear) x 12" D x 6" H



Solid Corner 7⁷/8" (face) x 12" D x 6" H



Smooth Top Versa-Lok® 16" (face) x 14" (rear) x 12" D x 6" H



Rectangular Cap 16" (face) x 11⁵/8" D x 3⁵/8" H



Full Return Corner 16" (face) x 7⁷/8" D x 6" H

Chestnut Blend

Flagstone Blend



Desert Sand



Granite Blend



Canyon Creek Blend



Earth Blend



Storm Blend





NON-WEATHERED VERSA-LO





Non-Weathered Versa-Lok® Mosaic®



Versa-Lok[®] Non-Weathered Standard 16" (face) x 14" (rear) x 12" D x 6" H



Rectangular Cap 16" (face) x 11⁵/8" D x 3⁵/8" H



Versa-Lok[®] Non-Weathered Cobble 8" (face) x 12" D x 6" H



Versa-Lok[®] Non-Weathered Accent 12" (face) x 12" D x 4" H



Solid Corner $7^{7}/8^{"}$ (face) x 12" D x 6" H



Full Return Corner 16" (face) x 7⁷/8" D x 6" H




Earth Blend



Flagstone Blend



Storm Blend





Weathered Versa-Lok® Mosaic®



Versa-Lok[®] Weathered Standard 16"(face) x 14"(rear) x 12" D x 6" H



Rectangular Cap 16" (face) x 11⁵/8" D x 3⁵/8" H

Expect Longer Lead Times



Weathered Cobble 8" (face) x 12" D x 6" H



Solid Corner Unit $7^{7}/8^{"}$ (face) x 12" D x 6" H



Weathered Accent 12" (face) x 12" D x 4" H



Full Return Corner 16" (face) x 7⁷/8" D x 6" H



Earth Blend




Flagstone Blend



Storm Blend

RETAINING WALL

WEATHERED VERSA-LOK® MOSA





Cornerstone® 100







CornerStone 100[®] 18" (face) x 12" D x 8" H

CornerStone[®] Reversible Corner 18" (face) x 8" D x 8" H

CornerStone® Rectangular Cap 18" (face) x 12" D x 4" H



Earth Blend




Flagstone Blend



Storm Blend



CUSTOM COLORS AVAILABLE



🌑 Gray



MagnumStone®



Standard Block 48" (face) x 39" (rear) x 24"D x 24"H



Standard Block Half High 48" (face) x 39" (rear) x 24"D 12" H



4 ft. Extender 30" (rear) x 48"D x 24"H

Gray



Base Block 48" (face) x 39" (rear) x 24"D x 24"H



Base Block Half High 48" (face) x 39" (rear) x 24"D 12"H



Corner/End 2" (top width) x 4" (bottom width) x 8" D x 24"H



Top Block 48" (face) x 39" (rear) x 24"D x 24"H



Top Block Half High 48" (face) x 39" (rear) x 24"D 12"H



3" (top width) x 4" (bottom



Standard Block Half 24" (face) x 39" (rear) x 24"D x 24"H



2 ft. Extender 30" (rear) x 24"D x 24"H



Cap 48"W x 24"D x 6"H











Attention to Detail

BULLNOSE PAVERS

OLENTANGY BLUFF TREAD[™]

DIMENSIONAL & IRREGULAR STEPS

SUPERIOR STEPPERS

DIMENSIONAL COPING

COLUMN CAPS





Cream



Bullnose Pavers










Vintage Single Bullnose 6" x 12" x 2 $\sqrt[3]{_8}$ " (Special Order)






Charcoal

Cream



Dark Chocolate



Scioto Blend



Olentangy Bluff Tread™



Olentangy Bluff Tread[™] 36" L × 16" D × 6" H



Olentangy Bluff Tread[™] 48" L × 16" D × 6" H



Olentangy Bluff Tread[™] 60" L × 16" D × 6" H



Olentangy Bluff Tread[™] 72" L x 16" D x 6" H




Cuyahoga Blend



Mohican Blend



Scioto Blend






Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.



Dimensional & Irregular Steps^{*}



Packaged Together



Cuyahoga Blend



Mohican Blend



Scioto Blend

a) Irregular Steps*

All irregular steps have 7" rise 42" L x 17" D x 7" H 42" L x 26" D x 7" H 54" L x 22" D x 7" H 48" L x 24" D x 7" H 48" L x 28" D x 7" H 60" L x 24" D x 7" H

b) Dimensional Steps*

All dimensional steps have 7" rise 36" L x 18" D x 7" H 48" L x 18" D x 7" H 72" L x 30" D x 7" H DIMENIONSAL & IRREGULAR STEPS





Superior Steppers





Superior Stepper – 21" × 27" × 2" Eight different shapes on a cube.




Cuyahoga Blend



Mohican Blend



Scioto Blend



Scioto Blend



62

Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.



Dimensional Coping^{*}



Standard Coping* 18" x 12.5" x 2.5"

Packaged Together



Finished End Coping* 19" x 12.5" x 2.5"



Long Coping* 24" x 12.5" x 2.5"



Cuyahoga Blend

Mohican Blend




Scioto Blend



Bullnose Column Cap





Column Caps

STOCKED ROCKFACE CAP SIZES

24" x 24" x 2"	28" x 28" x 2"
24" x 24" x 3"	28" x 28" x 3"



Belvedere Column Cap | Sealed

PRECAST CAP COLORS



Cuyahoga Blend



Mohican Blend



Scioto Blend



The Difference Makers

ALL-IN-ONE PROFESSIONAL GRADE SEALER

- SEALS, ENHANCES & PROTECTS -- MINIMIZES EFFLORESCENCE LEACHING -- RAIN SAFE WITHIN 60 MINUTES -- ANTI-FUNGAL PROTECTION -- JOINT SAND STABILIZING -

AMERICAL ENVIRED AND MADE

Dura Denz penetrating sealers are offered in both water based and solvent based formulas. Each formula offers two finishes—a wet look and a matte look. Either finish adds enhancement and protection for years, with minimal maintenance.

SOLVENT BASED -WET LOOK -MATTE LOOK


WATER BASED -WET LOOK -MATTE LOOK



New Dura-Denz Polymeric Sand

Dura Denz Polymeric Sand is a joint stabilization sand that offers long lasting durability and superior strength when it comes to your pavement joints. Formulated with a blend of native sands and polymer binders; that once activated, allows the joints to expand and contract with the elements – such as freeze/thaw cycles. Dura Denz Poly Sand prevents sand erosion from pavement joints caused by rain and other water run-off, deters weed growth and insect infestation, and reduces overall pavement maintenance. You can be assured that Dura Denz Polymeric Sand will not discolor the surface or leave behind a haze, when installed correctly. Designed and tested in conjunction with the Americana Collection pavers; the Dura Denz Polymeric Sand, as well as Dura Denz Sealers, promotes a system sell of pavers; built to our specifications, delivering both on quality and consistency.





Granite

Tan

Best Practices

We adhere to ICPI System Practices

- After excavation, install geosynthetic fabric
- Install sub-base material (open graded 3/4" clean or dense 3/4" down to fines)
- Install bedding layer (clean limestone chip or dense concrete sand)
- Install Americana Collection paver
- Sweep in Dura Denz Polymeric Sand
- · Clean patio in preparation of sealer
- Seal patio with Dura Denz All-In-One Sealer

Dura Denz Polymeric Sand is recommended for joints up to 3/4" (max). For best performance, install with a minimum depth of 1.5"

Available in two color options: Granite and Tan. Customers can expect our Granite to be richer and deeper in color than its counterparts in the market. This was done purposefully, to best compliment our rich gray tones within the Americana Collection.


1 bag = approximately 100 square feet, depending on paver style

New All-In-One Sealers

How many reasons do you need?

Our new Dura Denz All-In-One penetrating sealers enhance color and texture, stabilizes joint sand, and protect against mold, moss and algae. Formulated to resist UV rays, Dura Denz Sealers help to retain the pavers original color while also repelling water and stains. It can be applied immediately after installation on a clean, dry installation and is rain safe in 90 minutes.

Dura Denz Sealers are formulated to give maximum coverage for years. Although formulated in conjunction with the Americana Collection pavers, Dura-Denz Sealers may also be applied to any type of concrete paver, clay paver, flat and stamped concrete, and masonry surfaces such as concrete walls, exposed aggregate and retaining walls.



Make sure you ask your contractor about this very important last step to a professional grade finish. By committing to an easy maintenance plan, you can keep stains from penetrating your hardscape surface and make a world of difference to the look and longevity of your paver project!





2.

Edington Fire Pit Kit









Custom Belvedere Fire Pit

Dimensional Wall Fire Pit



Edington® Fire Pit Kit

Overall Dimensions: 12" H x 48" Diameter

- 39 Edington Wall Stone Wedge Units
- 3 10 oz. Tubes of Adhesive •
- Steel Ring
- **Optional Grill Grate** •
- Optional Precast Rockface Caps

PRECAST CAP COLORS



Cuyahoga Blend

Mohican Blend



EDINGTON° COLORS

















Scioto Blend

Charcoal

Earth Blend

Flagstone Blend

Granite Blend





Belvedere® Fire Pit Kit*

Overall Dimensions: 14" H x 58" Diameter

- 52 Belvedere Units
- 3 10 oz. Tubes of Adhesive
- Steel Ring
- Optional Grill Grate



Cuyahoga Blend

T





Scioto Blend

AND | SEALERS | KITS



Dimensional Fire Pit Kit^{*}

Overall Dimensions: 12" H x 44" W x 44" D







KIT COMPONENTS

- 36 Dimensional Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner



* Not Available in Michigan.



Kodah® Fire Pit Kit^{*}

Overall Dimensions: 12" H x 48" Diameter

KIT COMPONENTS

- 16 Kodah Wall Corner Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner



Cuyahoga Blend








Scioto Blend

Not Available

in Michigan.



EDINGTON

PUB

TABLE

LI X



Edington® Pub Table Kit

Overall Dimensions: 42" H x 48" W x 48" D

• 36 Edington Wall Stone pieces - stocked kit colors below

• 1-28" Foot Rest with 2" hole - Both pieces 3" thick - The 2" hole fits standard umbrella (not included)

KIT COMPONENTS

• 1-42" Table Top with 2" hole

• 2-10 oz. Tubes of Adhesive





Charcoal

Canyon Creek Blend



Earth Blend

Flagstone Blend



Granite Blend



PRECAST CAP COLORS



Cuyahoga Blend

Mohican Blend



Scioto Blend












Kichler. Lighting

Let your landscape lighting illuminate every occasion and invite people into your home safely and beautifully highlighting walkways, architectural elements, gathering spaces, water features and more. A landscape lighting professional can show you all of the possibilities to deliver the best, most efficient lighting to bring your home to life.

Kichler. Landscape Lighting offers some of the most technologically advanced products available. They are engineered and tested to perform under extreme environmental conditions and are backed by Kichler's industry-leading 15 year warranty.





Enjoy the outdoors under the shade

PAVILIONS

Pavilions can be an extension of your home, or a freestanding structure providing shade and visual interest to your yard.

PERGOLAS

If you want to immerse yourself in the outdoors, but enjoy some sun protection, pergolas are a perfect fit.

G A Z E B O S Gazebos allow you to enjoy the outdoors while being comfortable and sheltered.





Mesa Structure

Prairie Structure






Vineyard Structure

Breckenridge Pavilior

73


Paver Patterns

LEXINGTON




Muster D 40% Lexington 14 60% Lexington 21







Running Bond 10, 14, or 21

PLYMOUTH











Basketweave

90º Herringbone

JAMESTOWN









Running Bond









Pattern A

Pattern B




OZARK & MANHATTAN




Pattern A

NEWPORT


Running Bond







VINTAGE FLAT TOP WASHINGTON[®] PAVERS




Muster D 40% Wash. 14

60% Wash. 21




72% Wash. 21



Running Bond 10, 14, or 21

NATURAL STONE PAVERS




Design Pack

F	Ц	Р	Ц
E	口	Ц	Д
ľ,	T	口	Ц
Г			П


Running Bond 11.81" x 23.62", 17.72" x 23.62", or 23.62" x 35.43"


Jumbo Muster K 28% Large Sq. 72% Jumbo Rec.

TRAVERTINE PAVERS



French Pattern





45º Herringbone

PAVER PATTERNS

Packaging Reference Guide

	PAVERS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT/ SQ. FT	UNITS/ SQ. FT.
	Lexington [®] 10	Х	4 ¹ /8" × 8 ¹ /4" × 2 ³ /8"	105 mm × 140 mm × 60 mm	29	6.34
	Lexington [®] 14	×	5 ¹ /2" × 5 ¹ /2" × 2 ³ /8"	140 mm × 140 mm × 60 mm	29	4.76
	Lexington [®] 21	Х	4 ¹ /8" × 8 ¹ /4" × 2 ³ /8"	140 mm × 210 mm × 60 mm	29	3.17
×	Malibu [*] Small Rectangle	X	4 ³ /4" × 9 ³ /8" × 2 ³ /8"	120 mm × 240 mm × 60 mm	29	3.23
	Malibu' Square	×	9 3/8" × 9 3/8" × 2 3/8"	240 mm × 240 mm × 60 mm	29	1.64
	Malibu [®] Large Rectangle	Х	9 ³ /8" × 14 ¹ /8" × 2 ³ /8"	240 mm × 360 mm × 60 mm	29	1.09
י א	Ozark [*] Small Rectangle	Х	7 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	180 mm × 360 mm × 60 mm	29	1.43
4	Ozark' Square	Х	14 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	360 mm × 360 mm × 60 mm	29	0.72
כ	Ozark [*] Large Rectangle	×	14 ¹ /8" × 21 ¹ /4" × 2 ³ /8"	360 mm × 540 mm × 60 mm	29	0.48
- -	Manhattan [®] Small Rectangle	×	7 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	180 mm × 360 mm × 60 mm	29	1.43
ם כ	Manhattan Small Rectangle	X	14 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	360 mm × 360 mm × 60 mm	29	0.72
1	Manhattan" Large Rectangle	Х	14 ¹ /8" × 21 ¹ /4" × 2 ³ /8"	360 mm × 540 mm × 60 mm	29	0.48
2	Newport [®] Small Rectangle	Х	11 ³ /4" × 17 ³ /4" × 2 ³ /8"	300 mm × 300 mm × 60 mm	29	0.69
∍	Newport* Small Rectangle	Х	11 ³ /4" × 11 ³ /4" × 2 ³ /8"	300 mm × 450 mm × 60 mm	29	1.04
	Newport [®] Large Rectangle	Х	11 ³ /4" × 23 ⁵ /8" × 2 ³ /8"	300 mm × 600 mm × 60 mm	29	0.52
	Plymouth [*]	×	4" × 8" × 2 ³ /8"	100 mm × 200 mm × 60 mm	29	4.7
	Jamestown" Smooth and Textured	Х	2 ⁵ /8" × 7 ⁷ /8" × 2 ³ /8"	67 mm × 200 mm × 60 mm	29	7.14
	Vintage Flat Top Washington* 14	×	5 ¹ /2" × 5 ¹ /2" × 2 ³ /8"	140 mm x 140 mm x 60 mm	28	4.76
	Vintage Flat Top Washington* 21	×	5 ¹ /2" × 8 ¹ /4" × 2 ³ /8"	140 mm x 210 mm x 60 mm	28	3.17
	Grand Flagstone [¥]		15 unique shapes at 1 3/4" thickness	N/A	20.5	N/A
	Dimensional Flagstone [¥]		Comprised of six sizes, per cube	N/A	24	N/A
	Single Bullnose Paver	Х	6" x 12" x 2 ³ /4"	152 mm x 305 mm x 70 mm	28	N/A
	Vintage Single Bullnose Paver		6" x 12" x 2 ³ /4"	152 mm x 305 mm x 70 mm	28	N/A
	Double Bullnose Paver	Х	6" x 12" x 2 ³ /4"	152 mm x 305 mm x 70 mm	30	N/A
	Vintage Double Bullnose Paver		6" x 12" x 2 ³ /4"	152 mm x 305 mm x 70 mm	30	N/A
	Superior Steppers [¥]	X	21" x 27" x 2" (Dimensions vary slightly by paver)	533 mm x 686 mm x 51 mm	N/A	N/A
	Natural Stone 11.81" × 23.62"	×	11.81" × 23.62" × 1"		13.2	N/A
	Natural Stone 17.72" × 23.62"	X	17.72" × 23.62" × 1"		13.2	N/A
	Natural Stone 23.62" × 23.62"	X	23.62" × 23.62" × 1"		13.2	N/A
	Natural Stone 23.62" × 35.43"	Х	23.62" × 35.43" × 1"		13.2	N/A
	Design Pack (combination of 4 above sizes)	×	N/A	N/A	13.2	N/A
	Natural Stone Limestone 11.81" × 23.62"	Х	11.81" × 23.62" × 1"		16.5	N/A

MARBLE & TRAVERTINE

		NOMINAL DIMENSIONS			
STOCKED		NOMINAL DIMENSIONS			
Special Reserve Marble & Travertine	Х	French Pattern			
Special Reserve Marble	×	6"x 12" x 1 1/4"			
Special Reserve Travertine	×	6"x 12" x 1 1/4"			
Special Reserve Bullnose Coping	×	12" × 24" × 1 1/4"			
Special Reserve Bullnose Coping	×	12" × 24" × 2"			
SPECIAL NOTES:					

¥ Not available in Michigan

Weight per Cube does not include pallet weight.

UNITS/ LAYER	LAYERS/ CUBE	UNITS/ CUBE	WEIGHT/ CUBE	SQ. FT./ UNIT	SQ. FT./ LAYER	SQ. FT/ CUBE	COLOR STOCKED
72	9	648	2965	0.16	11.36	102.24	Charcoal
56	9	504	3069	0.21	11.76	105.84	Canyon Creek, Charcoal, Earth, Flagstone, Granite. Storm
42	8	336	3074	0.32	13.25	106	Canyon Creek, Charcoal, Earth, Flagstone, Granite. Storm
13	8	104	2851	0.31	4.03	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
6	8	48	2851	0.61	3.66 3.66	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
5	8	40	2851	0.92	4.60	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
3	10	30	3024	0.70	2.10	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
3	10	30	3024	1.39	2.10 Combined sq.	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
2	10	20	3024	2.08	4.16	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
3	10	30	3024	0.70	2.10	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
3	10	30	3024	1.39	4.17 10.43	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
2	10	20	3024	2.08	4.16 4.16	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
2	9	18	3020	1.45	2.90	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
3	9	27	3020	0.96	2.88 dined :	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
3	9	27	3020	1.93	.79	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
54	9	486	2999	0.21	11.48	103.32	Canyon Creek, Charcoal, Cream, Dark Chocolate, Earth, Flagstone, Granite
78	5	390	1583	10.92	10.92	54.6	Burgundy Smooth, Charcoal Smooth, Charcoal Textured (While Supplies Last)
56	9	504	3069	0.21	12.50	105.84	Vintage: Canyon Creek, Charcoal, Earth, Flagstone, Granite
42	8	336	3074	0.32	17.00	106	Vintage: Canyon Creek, Charcoal, Earth, Flagstone, Granite
N/A	8	32	2160	N/A	11.00	88	Special Product Only
N/A	8	48	2350	N/A	12.25	98	Special Product Only
2	3	168	2352	N/A	N/A	84	Charcoal, Cream, Dark Chocolate
2	6	192	2668	N/A	N/A	96	Special Order
2	3	144	2160	N/A	N/A	72	Charcoal, Cream, Dark Chocolate
2	6	192	2880	N/A	N/A	96	Special Order
N/A	6	24	1950	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	N/A	80	2000	N/A	N/A	160	Bronte, Dove Grey, Fossil, Slate Grey
N/A	N/A	80	2800	N/A	N/A	240	Bronte, Dove Grey, Fossil, Slate Grey
N/A	N/A	40	2000	N/A	N/A	160	Bronte, Dove Grey, Fossil, Slate Grey
N/A	N/A	40	2800	N/A	N/A	240	Bronte, Dove Grey, Fossil, Slate Grey
N/A	N/A	47	2218	N/A	N/A	168	Bronte, Dove Grey, Fossil, Slate Grey
N/A	N/A	74	2100	N/A	N/A	148	Kota Black

PCS./ CRATE	SQ. FT./ CRATE	LBS./ CRATE	COLOR STOCKED
132	176	2933	Ice Marble, Ivory Tusk, Noce Trail, Tahoe Marble, Sand Dune, Silver
400	200	3333	Ice Marble, Tahoe Marble
400	200	3000	Ivory Tusk, Noce Trail, Sand Dune, Silver
66	132	990	Ice Marble, Ivory Tusk, Noce Trail, Tahoe Marble, Sand Dune, Silver
40	80	800	Ice Marble, Ivory Tusk, Noce Trail, Tahoe Marble, Sand Dune, Silver

PAVER COLOR BLENDS:

Canyon Creek = buff, charcoal, maroon Earth = brown, buff, charcoal Flagstone = buff, charcoal, gray Granite = charcoal, gray Storm = brown, light grey, black Due to color variations, it's imperative to pull/install from multiple cubes at a time.

Retaining Wall Packaging Reference Guide

RETAINING WALL PRODUCTS	STOCKED		DIMENSIONS	WEIGHT/ SQ. FT
Edington Wall Stone*	X	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	90
Edington Wall Wedge	×	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	75
Non-Tumbled Edington Wall Stone*	X	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	90
Non-Tumbled Edington Wall Stone Wedge	X	12″ front x 8″ depth x 4″ height	300 mm x 200 mm x 100 mm	75
Belvedere Wall [¥]	х	Random sizes available	Varies in size	91.667
Belvedere Corner [¥]	x	Random sizes available	Varies in size	63.33
Belvedere Coping [¥]	x	Random sizes available	Varies in size	N/A
Dimensional Wall [¥]	X	Random sizes available	Varies in size	84
Dimensional Wedge [¥]	×	Random sizes available	Varies in size	N/A
Kodah Wall [¥]	Х	Random Sizes Available	Varies in size	N/A
Kodah Wall Corner [¥]	×	21″ front x 10.5″ depth x 6″ height	533 mm x 267 mm x 152 mm	N/A
Outcropping¥	×	Wall, corner (6" & 12") available	Varies in size	222.22
Non-Weathered Versa-Lok* Standard*	х	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Non-Weathered Versa-Lok* Smooth Top	x	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Non-Weathered Rectangular Retaining Wall Cap ⁺	x	16" front x 11 ⁵ /8" depth x 3 ⁵ /8" height	397 mm x 295 mm x 92 mm	51
Non-Weathered Versa-Lok* Solid Corner'	x	7 7/8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	41
Non-Weathered Versa-Lok* Full Return Corner*	×	8" front x 16" depth x 6" height	203 mm x 406 mm x 152 mm	48
Non-Weathered Versa-Lok* Cobble*	×	8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	123
Non-Weathered Versa-Lok* Accent*	×	12" front x 12" depth x 4" height	305 mm x 305 mm x 102 mm	123
Weathered Versa-Lok* Standard	×	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Weathered Rectangular Retaining Wall Cap	X	16" front x 11 ⁵ /8" depth x 3 ⁵ /8" height	397 mm x 295 mm x 92 mm	51
Weathered Versa-Lok* Solid Corner*	X	7 ⁷ /8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	41
Weathered Versa-Lok* Full Return Corner*	X	8" front x 16" depth x 6" height	203 mm x 406 mm x 152 mm	48
Weathered Versa-Lok* Cobble	X	8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	123
Weathered Versa-Lok* Accent	Х	12" front x 12" depth x 4" height	305 mm x 305 mm x 102 mm	123
CornerStone* 100	X	18" front x 12" depth x 8" height	457 mm, 305mm x 203mm	78
CornerStone [*] Reversible Corner	X	18" front x 8" depth x 8" height	457mm x 203mm x 203mm	65
CornerStone [®] Rectangular Cap	Х	18" front x 12" depth x 4" height	457mm x 305mm x 102mm	67
Magnumstone [®] Standard Block	X	48" (face) x 39" (rear) x 24"D x 24"H		
Magnumstone" Base Block	X	48" (face) x 39" (rear) x 24"D x 24"H		
Magnumstone [®] Top Block	X	48" (face) x 39" (rear) x 24"D x 24"H		
Magnumstone [®] Standard Block Half	X	24" (face) x 39" (rear) x 24"D x 24"H		
Magnumstone [®] Standard Block Half High	×	48" (face) x 39" (rear) x 24"D x 12" H		
Magnumstone [®] Base Block Half High	×	48" (face) x 39" (rear) x 24"D x 12"H		
Magnumstone [*] Top Block Half High	X	48" (face) x 39" (rear) x 24"D x 12"H		
Magnumstone [®] 2 ft. Extender	×	30" (rear) x 24"D x 24"H		
Magnumstone [*] 4 ft. Extender	×	30" (rear) x 48"D x 24"H		
Magnumstone [®] Corner/End	×	2" (top width) x 4" (bottom width) x 8" D x 24"H		
Magnumstone [*] Half High Corner End	×	3" (top width) x 4" (bottom width) x 9"D x 12"H		
Magnumstone [*] Cap	Х	48"W x 24"D x 6"H		

SPECIAL NOTES:

 $^{\ast}\,$ Asterisk denotes non-stocked shape or color

¥ Not available in Michigan ⁺ Also available in Weathered Weight per Cube does not include pallet weight.

UNITS/ SQ. FT.	UNITS/ BAND	UNITS/ CUBE	WEIGHT/ CUBE	SQ. FT./ UNIT	SQ. FT./ LAYER	SQ. FT./ CUBE	COLOR STOCKED
3.00	N/A	100	2900	0.333	N/A	32	Canyon Creek, Charcoal, Earth, Flagstone, Granite, Storm
3.00	N/A	90	2160	0.333	N/A	30	Canyon Creek, Charcoal, Earth, Flagstone, Granite, Storm
3.00	N/A	132	3960	0.333	N/A	32	Canyon Creek, Charcoal, Earth, Flagstone, Granite, Storm
3.00	N/A	90	2250	0.333	N/A	30	Canyon Creek, Charcoal, Earth, Flagstone, Granite, Storm
N/A	N/A	N/A	2475	N/A	N/A	27	Cuyahoga, Mohican, Scioto
N/A	N/A	N/A	1520	N/A	N/A	24	Cuyahoga, Mohican, Scioto
N/A	N/A	N/A	1550	N/A	N/A	66.00/LNFT	Cuyahoga, Mohican, Scioto
3.00	N/A	75	2100	N/A	N/A	25	Cuyahoga, Mohican, Scioto
3.00	N/A	100	2000	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	N/A	18	2400	N/A	N/A	21	Cuyahoga, Mohican, Scioto
N/A	N/A	16	1600	N/A	N/A	21	Cuyahoga, Mohican, Scioto
N/A	N/A	N/A	4000	N/A	N/A	18	Cuyahoga, Mohican, Scioto
1.50	N/A	32	2624	0.667	N/A	21.33	Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm
1.50	N/A	32	2624	0.667	N/A	21.33	Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm
N/A	N/A	48	2448	N/A	N/A	N/A	Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm
3.00	N/A	64	2624	N/A	N/A	N/A	Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm
N/A	N/A	48	2304	N/A	N/A	N/A	Canyon Creek, Chestnut, Desert Sand, Earth, Flagstone, Granite, Storm
3.00	N/A	64	2560	0.333	N/A	21.33	Earth, Flagstone, Storm
3.00	N/A	60	2460	0.333	N/A	20	Earth, Flagstone, Storm
1.50	N/A	32	2624	0.667	N/A	21.33	Earth, Flagstone, Storm
N/A	N/A	48	2448	N/A	N/A	N/A	Earth, Flagstone, Storm
3.00	N/A	64	2624	N/A	N/A	N/A	Earth, Flagstone, Storm
N/A	N/A	48	2304	N/A	N/A	N/A	Earth, Flagstone, Storm
3.00	N/A	64	2560	0.333	N/A	21.33	Earth, Flagstone, Storm
3.00	N/A	60	2460	0.333	N/A	20	Earth, Flagstone, Storm
1.00	N/A	40	3120	1.00	N/A	40	Earth, Flagstone, Storm
1.00	N/A	40	2600	1.00	N/A	40	Earth, Flagstone, Storm
N/A	N/A	48	3216	N/A	N/A	24	Earth, Flagstone, Storm
		2	2690				Gray
		2	2650				Gray
		2	2440				Gray
		2	2740				Gray
		2	1500				Gray
		2	1450				Gray
		2	1374				Gray
		2	1150				Gray
		2	1750				Gray
		2	680				Gray
		4	680				Gray
		6	3360				Gray
		<u> </u>	5500				-

RETAINING WALL COLOR BLENDS: Canyon Creek = buff, charcoal, maroon Chestnut = buff, brown Cuyahoga = golden buff, charcoal accent Earth = brown, buff, charcoal Flagstone = buff, charcoal, gray Granite = charcoal, gray

Mohican = neutral tan, brown accent Scioto = gray, charcoal accent Storm = brown, light gray, black

Stair Treads & Wall Copings Packaging Reference Guide

STAIR TREADS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT/ SQ. FT	UNITS/ SQ. FT.
Olentangy Bluff Tread™ 36″	×	36" front x 16" depth x 6" height	914 mm x 406 mm x 152 mm	N/A	N/A
Olentangy Bluff Tread™ 48″ (Front width can vary up to 1.5″)	Х	48 ¹ /2" front x 16" depth x 6" height	1257 mm x 406 mm x 152 mm	N/A	N/A
Olentangy Bluff Tread™ 60″	Х	60" front x 16" depth x 6" height	1524 mm x 406 mm x 152 mm	N/A	N/A
Olentangy Bluff Tread™ 72″	Х	72" front x 16" depth x 6" height	1829 mm x 406 mm x 152 mm	N/A	N/A
Irregular Steps¥	Х	42"- 60" front x 17"-28" depth x 7" height	Varies in size	N/A	N/A
Dimensional Steps $3'^{\downarrow}$	Х	36" front x 18" depth x 7" height	914 mm x 457 mm x 178 mm	N/A	N/A
Dimensional Steps 4' $^{\downarrow}$	Х	48" front x 18" depth x 7" height	1219 mm x 457 mm x 178 mm	N/A	N/A
Dimensional Steps 6' $^{ extsf{Y}}$	Х	72" front x 30" depth x 7" height	1829 mm x 762 mm x 178 mm	N/A	N/A

COPINGS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT/ SQ. FT
Dimensional Coping - Standard	Х	18" front x 12.5" depth x 2.5" height	Varies in Size	N/A
Dimensional Coping - Finished End	Х	19" front x 12.5" depth x 2.5" height	Varies in Size	N/A
Dimensional Coping - Long	Х	24" front x 12.5" depth x 2.5" height	Varies in Size	N/A

UNITS/ BAND	UNITS/ CUBE	WEIGHT/ CUBE	SQ. FT./ UNIT	SQ. FT./ LAYER	SQ. FT./ CUBE	COLOR STOCKED
BAND	8	2240	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	8	2984	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	6	2802	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	4	2240	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	6	2962	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	6	2250	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	6	2730	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
N/A	3	3960	N/A	N/A	N/A	Cuyahoga, Mohican, Scioto
UNITS/ SQ. FT.	UNITS/ BUNDLE	,	WEIGHT/ CUBE	SQ. FT./ UNIT	SQ. FT./ LAYER	SQ. FT./ COLOR STOCKED

SQ. FT.	BUNDLE	CUBE	CUBE	UNIT	LAYER	CUBE	COLOR STOCKED
N/A	12	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Mohican, Scioto
N/A	6	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Mohican, Scioto
N/A	18	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Mohican, Scioto





Color

The natural materials that we use in our paving stones and retaining wall products deliver a range of colors that closely match color samples in catalogs, spec books, color swatch books and online photos. However, Oberfields cannot guarantee exact color matching. Our pavers and walls can vary slightly in color depending on environmental conditions. Therefore, colors shown are approximate representations of standard colors and shouldn't be expected to be an exact match. Final color selections should be made at your local dealer from stock product or displays. Oberfields always recommends immediately verifying the product and color upon receipt. If there are any discrepancies, contact your local dealer before continuing your project. Installation of the product constitutes its acceptance. Proper installation enhances the overall color of pavement. Units should be randomly picked from at least two pallets when installing. This creates an attractive and subtle blending of color.

.....

Efflorescence

Our warranty does not apply to efflorescence. Efflorescence is a whitish, powder like deposit that can appear on the surface of concrete pavers. When cement hydrates, calcium hydroxide is formed. A reaction occurs between the calcium hydroxide and carbon dioxide (from the air) to form water-insoluble calcium carbonate, which is then called efflorescence. Efflorescence does not have an effect on the structural performance or durability of the concrete pavers. Oberfields includes admixtures in their concrete pavers to help minimize efflorescence, but efflorescence is a natural occurrence in all concrete products. Oberfields does not warrant concrete pavers and/or walls that it manufactures against the appearance of efflorescence. Efflorescence may appear immediately or within months following installation. It may remain for months or some of it may wear away. Deposits may be removed from the concrete paver surface by using proprietary efflorescence removers. Before purchasing or applying any chemicals to remove deposits, please consult your local dealer for efflorescence removal chemicals.

Polymeric Haze

Polymeric haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner; you are advised to contact your contractor or the polymeric sand company used for advice on recommendations. Oberfields accepts no responsibility or liability for this occurrence.

Construction Residue

A by-product of cutting with a saw is residue-filled water or concrete dust. Residue-filled water or re-hydrated dust can cling to the surface and leave a concrete stain. It is recommended to wash and remove the water or concrete dust from the surface of the pavers before it dries. Construction residue can also happen through soil disturbance or environmental elements. These contaminants should be removed immediately but do not affect the integrity of the product or your installation. Oberfields accepts no responsibility or liability for these occurrences.

Compactor and Snow Removal


Oberfields pavers with textured surfaces have high and low points on the surface that give it more of an aesthetic appeal. However, pavers with textured surfaces are susceptible to surface scuffing when they are compacted into place. Therefore, these types of pavers should always be compacted with plate compactors that incorporate a protective mat or other medium between the plate compactor and the surface of the Oberfields pavers. This system will help ensure that paver surface scuffing is kept to a minimum. These protective mediums include: rubber matting, thin carpet or cardboard. Manufacturers of plate compactors are able to recommend other products that can also be used for this purpose. For further information on interlocking concrete paver details, technical information, and recommended construction practices, visit ICPI at icpi.org.

Hardscape Lifetime Limited Warranty

Oberfields backs our manufactured paver and wall products with a lifetime limited warranty, guaranteeing our products against manufacturing defects. This warranty is for residential construction only, and is applicable where products have been correctly installed to meet industry specifications. Color variances and the appearance of efflorescence do not constitute a warranty claim. Any defective products will be replaced; however, replacement labor and transportation costs are not included in this warranty. All warranty claims must be made prior to the removal or disposal of the defective product. We will honor this warranty with a proof of purchase (invoice or delivery ticket.) The foregoing warranty is exclusive and in lieu of all other express or implied warranties of any kind. Furthermore, Oberfields disclaims all implied warranties of merchantability as well as all implied warranties of fitness for a particular purpose. Oberfields shall not be liable for any consequential damages or incidental damages arising from any warranty claim made against it.

.....

NOTE: This warranty does not apply to any breakage, chipping, or other deterioration that was caused by improper design or installation which does not comply with applicable codes, the ICPI, NCMA, and recognized work procedures. Please visit icpi.org or ncma.org for more information on installation specifications. This warranty does not apply to any damage resulting from a natural disaster or from a deliberate and/or negligent act on the part of the purchaser, owner of the building, installer or any third party.



SALES | CORPORATE OFFICE

Landscape & Precast 528 London Road Delaware, Ohio 43015 614-252-0955 740-369-7644 800-845-7644 Fax 740-363-7644

SALES & MANUFACTURING

Landscape 4033 Alum Creek Drive Obetz, Ohio 43207 614-252-0955 Fax 614-252-5858

oberfields.com