614-252-0955 740-369-7644 800-845-7644 Fax 740-363-7644

www.oberfields.com

528 London Road ● P.O. Box 362 ● Delaware, Ohio 43015-0362

OBERFIELDS LLC and LEED® Under building materials MR Credit 4.1 and 4.2, **NORMAL WEIGHT High-Strength CMU** from our **OBETZ** Ohio plant incorporate slag cement GGBFS ASTM C989 to replace Portland cement. **Our gray units achieve 42.2% pre-consumer recycled content** per NCMA TEK bulletin 6.6B "Determining the Recycled Content of Concrete Masonry Products" as described on page 5 of 8, section titled "For a Product." We meet a specification worded as follows, "Provide concrete masonry products with an average recycled content so post-consumer content plus one-half of pre-consumer recycled content is not less than 20%."

35% ground granulated blast furnace slag cement|65% Portland cement100% pre-consumer recycled content|10.6% pre-consumer recycled contentfrom Detroit MI. 170 miles to our plant| from Fairborn OH. 68 miles to our plant

To obtain a copy of NCMA TEK bulletin 6.6B contact Ed Gebauer at phone or email below. To learn more Slag Cement GGBFS visit the Slag Cement Association. www.slagcement.org
OBERFIELDS LLC is committed to contributing to the growth and advancement of society by providing innovative, superior quality materials and services to the construction environment. We share in the responsibility for our environment and seek to supply building products which contribute to relevant credits for the LEED green building rating system. Masonry is impressive, sustainable for generations, protects against fire, resilient against disaster, insects, rot, mold, and has thermal mass energy benefit.

Edwin H. Gebauer CSI CST, egebauer@oberfields.com Cell and best number: 614-496-2422 Architectural Masonry Sales Specialist and Chair of Green Technology Committee October 30, 2015 NORMAL WEIGHT High Strength CMU from OBETZ, Ohio plant