

Heritage Stone



STONE
VENEER **PRODUCT
SELECTION GUIDE**

REPLICATING THE BEAUTY, TOUCH & DURABILITY OF NATURAL STONE.

Enhance your next building project – large or small, interior or exterior, commercial or residential – with your personal choice from our wide collection of stone products.

- Stone veneer is virtually **half the thickness and weight** of natural stone, and can be installed with ease over **all structurally sound surfaces**, without additional support.
- Stone veneer by Heritage Stone is **unsurpassed in quality**.
- Specially crafted sizes, shapes and textures **express in remarkable detail** the look, feel and durability of natural stone.
- Each stone is cast from **ingredients derived from natural stone**, a unique blend of portland cement, iron oxide color pigments and light-weight aggregate.
- Heritage Stone Veneer is **lighter than natural stone**, and our attention to size and shape make it **easy to install**.

Make your selection, today, from the many authentic and beautiful stone colors, shapes, and textures by Heritage Stone.

Stone veneer featured in cover photo: Tan Limestone



Nantucket Limestone
White mortar/brown sand



Ohio Vintage Limestone
White mortar/brown sand



Grey Limestone



Pennsylvania Fieldstone



Seneca Drystack



Erie Drystack



Brown River Rock



Shoreline Limestone
White mortar/brown sand



Tan Limestone
White mortar/brown sand



Amherst Limestone



Sandusky Shore Limestone
White mortar/brown sand



Buff Limestone
White mortar/brown sand



Blue Ridge Limestone



Buff Fieldstone



Top Rock Fieldstone



Grey Fieldstone



Huron Drystack



Ottawa Drystack



Michigan River Rock

Heritage Stone

Mortar Color – Always consider mortar color when making any stone selection. Mortar color affects the finished appearance of the installation.

Type N mortar is pictured, unless otherwise specified. Drystacks have no mortar.

CLASSIC STYLE
INSPIRED
BY NATURE.

TRIM STONE

Colors available to complement or accent every stone line.



Sillstone with Drip:
24" w X 2-1/2" h X 3" d
(1" wash)



Small Wall Capstone:
19-3/4" h X 11-1/4" w X 2" d
(3/4" wash)

Large Wall Capstone:
19-3/4" h X 15-1/4" w X 2" d
(1-1/2" wash)



Small Keystone:
9" w X 8" h X 6" w

Large Keystone:
11-3/4" w X 11" h X 7" w



135° Corners:
(Available in limited colors and styles)



Small Row Locks:
4-1/2" w X 5-1/2" h

Large Row Locks:
5-1/2" w X 7-1/2" h



90° Corners:
(Available in all colors and styles)



Hearthstone:
20" l X 19" w X 2" d



A B C

A - Receptacle Stone
7-1/2" h X 6-5/8" w X 1-3/4" d

B - Light Trim Stone
10-1/2" h X 7-1/2" w X 1-3/4" d

C - Hydrant Stone
7-1/2" h X 6-5/8" w X 1-3/4" d



Seneca Drystack

Technical Data

- Modulus of Rupture: 434 PSI
- Compression Strength: 4561 PSI
- Absorption: 11.7%
- Durability: 30 cycles of freeze-thaw testing, no visual damage or weight loss detected from the samples.
- Fire Rating: stone veneer has zero flame spread; zero fuel contributed and will not develop smoke.
- Installed Weight: 9-10 lbs. per sq. ft.
- Color Retention: only permanent iron oxides are used. No detectable color change can be observed even after years of weathering.

Notes

As with natural stone, some variations in color can be expected. Do not use acid to clean stone. In the event mortar gets on the face of the stone, clean it off immediately with water and a nylon brush. Heritage Stone will replace defective products brought to our attention prior to product installation. Material placed on the wall shall constitute product acceptance.

Limited Warranty

Backed by a 30-year limited warranty. See manufacturer.



HERITAGE STONE
PO Box 2174
Zanesville, OH 43702-2174
Phone (740) 450-4236
Fax (740) 450-4370
www.HeritageStone.com

Dist.  **OBERFIELD'S INC.**
Columbus • Delaware • Marion • Sunbury

528 London Road, PO Box 362
Delaware, OH 43015-0362
www.oberfields.com
info@oberfields.com

614-252-0955
740-369-7644
800-845-7644
Fax 740-363-7644