Material Safety Data Sheet



The Euclid Chemical Company

EUCO WINTER ADMIXTURE

Version 2. REVISION DATE: 06/08/2009 Print Date 06/10/2009

SECTION 1 - PRODUCT IDENTIFICATION / PREPARATION INFORMATION

<u>Product Information</u> Trade name Product code	:	EUCO WINTER ADMIXTURE 016 55
Supplier	:	Euclid Canada 2835 Grande-Allée St-Hubert, QC J4T 2R4
Telephone	:	1-800-667-0920
Emergency Phone:	:	(613) 996-6666
Product use	:	Admixture
Preparation Information		
Prepared by:	:	Sewnauth Raghunandan
Date:	:	06/08/2009
Telephone		(416) 421-3300

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Brown. Liquid. No serious effects anticipated under normal conditions of use. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation	:	No serious effects anticipated under normal conditions of use.
Eyes	:	Direct contact may cause mild irritation.
Ingestion	:	May cause gastrointestinal irritation, nausea, and vomiting.
Skin	:	May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Fillers are encapsulated and not expected to be released from product under normal conditions of use.

SECTION 3 : HAZARDOUS INGREDIENTS

Calcium chloride	40040 50 4	
	10043-52-4	30.0 - 60.0
The ingredients listed above are haza	ardous as defined in th	e controlled products regulation. (CPR).

Material Safety Data Sheet



The Euclid Chemical Company

EUCO WINTER ADMIXTURE

Version 2. REVISION DATE: 06/08/2009 Print Date 06/10/2009

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation	: Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
Eye contact	: Flush with water for 15 minutes. If irritation persists, get medical attention.

•	
Skin contact	: Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.

- Ingestion : Get medical attention. Do not induce vomiting.
- Notes to physician : Not applicable.

SECTION 5: FIRE / EXPLOSION HAZARDS

Flash point Method	:	Not available. Not available.
Lower explosion limit	:	Not available.
Upper explosion limit	:	Not available.
Autoignition temperature	:	Not available.
Extinguishing media	:	This product is not expected to burn under normal conditions of use.
Hazardous combustion products	:	Carbon monoxide and carbon dioxide can form.Smoke, fumes.
Protective equipment for firefighters	:	Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
Fire and explosion conditions	:	This product not expected to ignite under normal conditions of use.

SECTION 6 - SPILLS / LEAKS / ACCIDENTAL RELEASE MEASURES

Stop flow. Contain spill. Keep out of water courses. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal. Use appropriate protective equipment. Avoid contact with material.

SECTION 7 - HANDLING AND STORAGE

Handle in compliance with common hygienic practices. Clean hands thoroughly after handling. Keep from freezing. Do not use in confined or poorly ventilated areas. Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers. Store in sealed containers in a dry, ventilated warehouse location above freezing.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

RPM Canada

aterial Safety Data She	eet	
		The Euclid Chemical Company
UCO WINTER ADMI	XTURE	
ersion 2. EVISION DATE: 06/08/2009		Print Date 06/10/20
Respiratory protection	appr cartr	required under normal conditions of use.Wear appropriate, NIOSH/MSH oved respirator with combination particulate filter and vapor/gas removir idge when the ventilation is not adequate or if it is necessary to abrade of I surfaces coated with this product.
Hand protection		suitable impervious rubber or vinyl gloves and protective apparel to reduc sure.
Eye protection	shiel with	r appropriate eye protection.Wear chemical safety goggles and/or face d to prevent eye contact. Do not wear contact lenses. Do not touch eye contaminated body parts or materials. Have eye washing facilities readi able.
Skin and body protection	: Prev	ent contact with shoes and clothing. Use rubber apron and overshoes.
Protective measures	: Othe	r equipment not normally required.Use professional judgment in the
	seleo	ction, care, and use.
Engineering measures Exposure Limits No known components with	: Not i gene	required under normal conditions of use.Use local exhaust when the gral ventilation is inadequate.
Engineering measures Exposure Limits	: Not i gene h exposure	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate.
Engineering measures Exposure Limits No known components with	: Not i gene h exposure	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL	: Not i gene h exposure AND CHE : Liqu	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL / Physical State	: Not r gene h exposure	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form	: Not r gene h exposure AND CHE : Liqu : Liqu	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form Color Odor	: Not r gene h exposure AND CHE : Liqu : Liqu : Bro : Nor	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL / Physical State Form Color Odor pH	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form Color Odor	: Not i gene h exposure : Liqu : Liqu : Bro : Nor : 8.5 : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form Color Odor pH Vapour pressure	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Hea	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL / Physical State Form Color Odor pH Vapour pressure Vapor density	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Hea : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available. avier than air
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL / Physical State Form Color Odor pH Vapour pressure Vapor density Melting point/range	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Hea : Not : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available. available. available.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form Color Odor pH Vapour pressure Vapor density Melting point/range Freezing point	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Hea : Not : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available. available. available. available. available. available.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL / Physical State Form Color Odor pH Vapour pressure Vapor density Melting point/range Freezing point Boiling point/range	: Not r gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Not : Not : Not : Not : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available. available. available. available. available. available.
Engineering measures Exposure Limits No known components with ECTION 9 - PHYSICAL A Physical State Form Color Odor pH Vapour pressure Vapor density Melting point/range Freezing point Boiling point/range Water solubility	: Not i gene h exposure AND CHE : Liqu : Liqu : Bro : Nor : 8.5 : Not : Not : Not : Not : Not : Solu : Not	required under normal conditions of use.Use local exhaust when the eral ventilation is inadequate. limits. EMICAL PROPERTIES uid uid wn ne - 10.5 available. available. available. available. available. available. available.

Substances to avoid	: Strong acids.Strong bases.
Stability	: Stable

RPI Canada

Material Safety Data Sheet
The Euclid Chemical Company
EUCO WINTER ADMIXTURE Version 2. Print Date 06/10/2009
REVISION DATE: 06/08/2009
Hazardous polymerization : Will not occur.
SECTION 11 - TOXICOLOGICAL INFORMATION
Calcium chloride, CAS-No.: 10043-52-4 Acute oral toxicity (LD-50 oral) 1,000 mg/kg (Rat)
SECTION 12 - ECOLOGICAL INFORMATION
No Data Available
SECTION 13 - WASTE DISPOSAL CONSIDERATIONS
Disposal Method : Dispose in suitable container as non-hazardous waste according to all applicable regulations.
SECTION 14 - TRANSPORTATION / SHIPPING DATA
TDG / DOT Shipping Description: NOT REGULATED
SECTION 15 - REGULATORY INFORMATION
North American Inventories: All components are listed or exempt from the TSCA inventory. This product or its components are listed on, or exempt from the Canadian Domestic Substances List.
Canadian Regulations: WHMIS Classification : Not Controlled
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of the information required by the CPR.
Other Regulations: Regulatory VOC (less water and : 0 g/l exempt solvent)

Material Safety Data Sheet



The Euclid Chemical Company

Print Date 06/10/2009

EUCO WINTER ADMIXTURE

Version 2. REVISION DATE: 06/08/2009

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1	
Flammability	0	
Reactivity	0	
PPE		

0 = Minimum 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Sewnauth Raghunandan

Legend

ACGIH - American Conference of Governmental Hygienists

- DOT Department of Transportation
- DSL Domestic Substance List
- EPA Environmental Protection Agency
- HMIS Hazardous Materials Information System
- IARC International Agency for Research on Cancer
- MSHA Mine Safety Health Administration
- NDSL Non-Domestic Substance List
- NIOSH National Institute for Occupational Safety and Health
- NTP National Toxicology Program

OSHA - Occupational Safety and Health Administration PEL - Permissible Exposure Limit RCRA - Resource Conservation and Recovery Act STEL - Short Term Exposure Limit TLV - Threshold Limit Value TSCA - Toxic Substances Control Act TWA - Time Weighted Average V - Volume VOC - Volatile Organic Compound WHMIS - Workplace Hazardous Materials Information System