GATOR TILE SYSTEM

CHALLENGES | **PORCELAIN TILE**

- Laying on sand
- Cutting
- Maintaining alignment
- No spacer bars
  - No true interlock
- Prone to movement

1
2 & 3
4 & 5
6
GATOR TILE
POLYMERIC SAND
XP
GATOR BASE


GATOR BASE WAY
REPLACES 5 INCHES OF CRUSHED STONE
PAVER
GATOR BASE
COMPACTED BEDDING SAND 1/2"
GEO-FABRIC
NO crushed stone
NATIVE SOIL
TRADITIONAL WAY
COSTLY EXCAVATION, FILL & DUMPING FEES
PAVER
BEDDING SAND 1/2"
6" crushed stone
GEO-FABRIC
NATIVE SOIL



FEATURES | **GATOR SPACER**





24”x 24” tiles

(1st row of tiles +1) x (1st column of tiles +1)

(4 + 1) X (4 + 1)

5 x 5 = 25 Gator Spacers



16”x 32” tiles

(1st row of tiles + 1) X (1st column of tiles +1) + (tiles per row X tiles per column)

(4+1) X (4+1) + (4 X 4) = 41 Gator Spacers



24”x 48” tiles

(2 X 1st row of tiles+ 1) x (1st column of tiles +1)

(2 X 4) + 1) X (4+1)

(9 X 5) = 45 Gator Spacers

- All corners
- Forms cohesive system
  - Resists lateral and rotational movement
- Maintains joint alignment

BENEFITS | **GATOR SPACER**



FEATURES | **GATOR EDGE AND SCREW**

- Edge height 15mm
- Screw mechanically locks to Gator Base

FEATURES | **GATOR TILE SAND**

- Formulated exclusively for tile
- Extra bonding
  - hardens throughout joint depth
- Same install as all Gator Sands
- 35-pound bag
  - Approx 125 sf

INSTALL VIDEO



www.alliancegator.com

Alliance
QUALITY IS OUR STRENGTH
Contact Us
SMS