

PAVERS / RETAINING WALLS / ACCESSORIES 2019 EDITION



CONTE

INSPIRATION

PAVERS

67
6-7
8-9
10-11
12-13
14-15
16-17
18-19
20-21
24-25
26-27
28-29
34-35

RETAINING WALLS

Rosetta® Belvedere	44-45
Rosetta® Dimensional	46-47
Rosetta® Kodah	48-49
Rosetta® Dimensional Coping	50-51
Rosetta® Outcropping	52-53
Olentangy Bluff Tread [™]	54-55
Rosetta® Steps	56-57
Edington Wall Stone®	58-59
Non-Weathered Versa-Lok®	60-61
Non-Weathered Versa-Lok® Mosaic®	62-63
Weathered Versa-Lok® Mosaic®	64-65

GENERAL INFORMATION

Kits	66-68
Special Order Colors	
FireRock* Fireplaces	
Dura Denz® Sealer	71
Column Caps	72
Fireplaces & Fire Pits	73
Kichler. Lighting	74
Berlin Gardens [®] Structures & Furniture	75
Paver Patterns	76-77
Packaging Reference Guide	78-81
Warranty	82-83



NEW ALL-IN-ONE SEALER

How do you go about keeping your new paver project looking its absolute best? By sealing it with a Dura Denz All-In-One Penetrating Sealer, uniquely formulated in conjunction with the Americana Collection pavers to enhance, protect, and stabilize your paver project for years to come. **Visit page 71 and learn more about the new Dura Denz difference maker!**

SEE THE DIFFERENCE. FEEL THE DIFFERENCE. DESIGN TO BE DIFFERENT.

Dura Denz represents a dramatic break-through in concrete casting technology. Our new world-class manufacturing process results in exceptional products that are infused with Dura Denz Technology. A specially formulated dense top layer creates a smooth, extra-hard surface that resists chipping, scratching and fading. The result is products that are not only beautiful, but extremely durable. Exceed your clients expectations when you feature products manufactured with Dura Denz Technology. Quite frankly, it's unlike anything you'll find on the market.

AMERICANA * * * * * * * * COLLECTION

INTRODUCING



....

Standard concrete pavers are coarse with visible aggregate on surface. They are manufactured to exceed all ASTM standards for quality and strength.



....

Dura Denz Technology provides an exceptional paver with color infused throughout and a top layer that's colorfast and resilient to wear and tear. ASTM compliant.



船

EXTREMELY DURABLE RESISTS DAILY WEAR AND TEAR

COLOR FADE RESISTANT



TINTED THROUGHOUT (INDUSTRY EXCLUSIVE)

DENSE TOP-LAYER (NO COARSE AGGREGATE)

EXCEEDS ASTM STANDARDS ENHANCED QUALITY AND STRENGTH



AMERICAN OWNED AND MADE

WHAT OUTDOOR LIVING SHOULD BE

Let us be your one-stop source for outdoor living.

PAVERS WALLS LIGHTING SEALERS

-







LASTING MEMORIES HAPPEN HERE.

FLAT TOP WASHINGTON® VINTAGE FLAT TOP WASHINGTON®

3

LEXINGTON* EXINGTON CIRCLE* PLYMOUTH* MALIBU* OZARK* MANHATTAN* NEWPORT* JAMESTOWN*

BULLNOSE ROSETTA® GRAND FLAGSTONE ROSETTA® DIMENSIONAL FLAGSTONE NATURAL STONE ACCESSORIES TRAVERTINE PORCELAIN ROSETTA® SUPERIOR STEPPERS



FLAT TOP WASHINGTON[®]


Our Flat Top Washington[®] pavers are just that...flat top, with squared off corners of both square and rectangle units. Similar in size to our old Washington pavers, these Flat Top Washington's have no "pillowtop" appearance. They are a cleaner, more modern look on one of our classic pavers. Flat Top Washington's do not feature Dura Denz Technology.



PAVERS

OBERFIELDS

PRODUCT SPECS



a) Flat Top Washington[®] 14 - 5¹/₂" × 5¹/₂"× 2³/₈" b) Flat Top Washington[®] **21** – $5\frac{1}{2}$ " × $8\frac{1}{4}$ " × $2\frac{3}{8}$ "

COLORS



Canyon Creek Blend



Charcoal



Desert Sand (21's only)



Earth Blend



Flagstone Blend



Granite Blend






VINTAGE FLAT TOP WASHINGTON[®]

Like your favorite broken in jeans, our Vintage Flat Top Washington® pavers capture a time-worn appearance. This collection of tumbled pavers are a spin-off of our Flat Top Washington's, reflecting a more muted color palette with tumbled corners to create a more rustic, weathered look. Vintage Flat Top Washington's do not feature Dura Denz® technology.



PRODUCT SPECS



a) Vintage Flat Top Washington®	14 -	51/2"	×	$5^{1}/_{2}$ " × 2 ³ / ₈ "
b) Vintage Flat Top Washington®	21 -	5 ¹ / ₂ "	×	8 ¹ / ₄ "× 2 ³ / ₈ "

COLORS



Vintage Canyon Creek Blend



Vintage Charcoal



Vintage Desert Sand (21's only)



Vintage Earth Blend



Vintage Flagstone Blend



Vintage Granite Blend

PAVERS






LEXINGTON



Classic cobblestone patterns with squares and rectangles, convey the southern charm that make our Lexington pavers a beautiful, simple statement to any outdoor space. Incorporate a Lexington Circle to define seating areas or fire pits.

PRODUCT SPECS



COLORS



Canyon Creek Blend



Charcoal



Desert Sand



b

Earth Blend



Flagstone Blend



Granite Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Americana Collection pavers require a buffer between the plate compactor and the paver surface to prevent scuffing.




LEXINGTON CIRCLE



Define a seating area or fire pit with our Lexington Circle. Made to compliment our Lexington pavers, the circle kit adds style and design to make for a more interesting outdoor space.

PRODUCT SPECS



- a) Lexington Circle Circle center, small circle paver, large circle paver, Lexington 10's
- b) Lexington 10 $4^{1}/_{8}$ " × $5^{1}/_{2}$ " × $2^{3}/_{8}$ "
- Must add layer of Lexington 10s to fill out a 11'6" circle.

COLORS



Canyon Creek Blend



Desert Sand



Earth Blend



Flagstone Blend



Granite Blend





PLYMOUTH¹



A different take on your classic brick shape appearance. Our Plymouth paver size adds contrast to various field pavers. Ideal for bordering, it's often used in a contrasting color or as an inlay detail.

PRODUCT SPECS



a) **Plymouth** - 4" x 8" x 2 $^{3}/_{8}$ "

*All Plymouth pavers sold by the layer or cube, not by the piece.



COLORS



Canyon Creek Blend



Charcoal



Cream



Desert Sand



Earth Blend



Flagstone Blend



Granite Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Americana Collection pavers require a buffer between the plate compactor and the paver surface to prevent scuffing.









Rugged and textured, the Malibu system is a smaller three-piece system that's reminiscent of Mosaic tiles with various joint lines that create interesting patterns and visual interest.



COLORS



Canyon Creek Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend






OZARK^{*}



Reminiscent of a mountainous region, our Ozark pavers feature earth tone colors blends and a slight slate top texture to add depth of color. This over-sized three-piece system gives visual interest to the space with a combination of square units alongside small and large rectangles.

PRODUCT SPECS



Packaged Together

COLORS



Canyon Creek Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Americana Collection pavers require a buffer between the plate compactor and the paver surface to prevent scuffing.








Smooth and modern, our Manhattan pavers consist of a three-piece system that mimics the industrial skyline of Manhattan. The same sizes as our Ozark system, the Manhattan is the smooth equivalent. Either installation pattern accounts for various joints that give way to a smooth, clean appearance.

PRODUCT SPECS



- a) Manhattan Small Rectangle 7 $^{1}\!/_{8}$ " \times 14 $^{1}\!/_{8}$ " \times 2 $^{3}\!/_{8}$ "
- b) Manhattan Square 14 $^{1}\!/_{8}$ " \times 14 $^{1}\!/_{8}$ " \times 2 $^{3}\!/_{8}$ "
- c) Manhattan Large Rectangle 14 $\frac{1}{8}$ " × 21 $\frac{1}{4}$ " × 2 $\frac{3}{8}$ "

*All Manhattan pavers sold by the layer or cube, not by piece.



Packaged Together

COLORS



Canyon Creek Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Americana Collection pavers require a buffer between the plate compactor and the paver surface to prevent scuffing.








Smooth and linear, the Newport is a larger scaled system that creates longer, cleaner lines, less joints and a modern appearance.





- a) Newport Small Rectangle 11 $\frac{3}{4} \times 17 \frac{3}{4} \times 2 \frac{3}{8}$ "
- b) Newport Square 11 $^{3}/_{4}$ " × 11 $^{3}/_{4}$ " × 2 $^{3}/_{8}$ "
- c) Newport Large Rectangle 11 $^{3}/_{4}$ " × 23 $^{5}/_{8}$ " × 2 $^{3}/_{8}$ "

*All Newport pavers sold by the layer or cube, not by piece.

Packaged Together

COLORS



Canyon Creek Blend



Earth Blend



Flagstone Blend



Granite Blend



Storm Blend







Our Jamestown paver is an ideal paver for bordering and inlays. Perfect for lining sidewalks, outlying entertaining spaces, or creating decorative inlays. Available in both textured and smooth.

PRODUCT SPECS



a) Jamestown - $2\frac{5}{8} \times 7\frac{7}{8} \times 2\frac{3}{8}$

*All Jamestown pavers sold by the layer or cube, not by the piece.



COLORS



Charcoal Textured

Charcoal Smooth






PAVERS

BULLNOSE

Bullnose pavers give added dimension to any wall, step or patio application when an overhang is desired. The bullnose edge provides a smooth rounded edge that creates a slight shadow line that is the finishing detail in many applications.

PRODUCT SPECS



COLORS



Canyon Creek Blend



Desert Sand



Charcoal



Earth Blend



Dark Chocolate




Flagstone Blend




ROSETTA[®] GRAND FLAGSTONE*

Large natural flagstones have been a highly sought-after material for patios and walkways for generations. Rosetta® Grand Flagstone maintains the attractive texture and scale of large natural flagstone, but compared to natural flagstone, can be laid in an easy-to-install pattern. Additionally, the unit thicknesses are consistent, making for a comfortable, quality finished installation.



PRODUCT SPECS




Packaged Together

Rosetta[®] Grand Flagstone*

Dimensions – All Grand Flagstone are $1^3/4$ " thick

All Grand Flagstone sold by layer or cube, not by piece.

COLORS



Cuyahoga Blend

Scioto Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing. * Not available in MI.




ROSETTA[®] DIMENSIONAL FLAGSTONE*

Rosetta[®] Dimensional Flagstone mimics an authentic, tile texture using six unique shapes and various stone textures. It's the perfect choice for walkways and elegant patios that require consistent dimensions and a more formal, sophisticated look.

PRODUCT SPECS

- a) Rosetta^{*} Dimensional Flagstone^{*} 6" x 12" x 2"
- b) Rosetta <code>Dimensional Flagstone* 12" \times 12" \times 2"</code>
- c) Rosetta^{*} Dimensional Flagstone^{*} 12" x 18" x 2"
- d) Rosetta <code>Dimensional Flagstone* 18" \times 18" \times 2"</code>
- e) Rosetta' Dimensional Flagstone* 18" \times 24" \times 2"
- f) Rosetta Dimensional Flagstone* 24" \times 24" \times 2″

All Dimensional Flagstone sold by layer or cube, not by piece



COLORS



Cuyahoga Blend

Scioto Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing. * Not available in MI.




PAVERS

NATURAL STONE

Add a sense of class with authentic stone products. Best suited for the most exquisite designs where a random and square cut appearance is desired. Add a clean limestone border that is generally smooth in appearance with occasional raven patches to help complete the design.



PRODUCT SPECS



a) Natural Stone - 11.81" x 23.62"x 1"
b) Natural Stone - 17.72" x 23.62"x 1"
c) Natural Stone - 23.62" x 23.62"x 1"

- d) Natural Stone 23.62" x 35.43"x 1"
- e) Natural Stone Limestone 11.81" x 23.62"x 1"

NATURAL STONE COLORS



Bronte

Dove Grey

Flint





Fossil



Slate Grey

LIMESTONE COLORS



Kota Black



Silver Grey

Natural Stone Step Natural Stone Wall Coping 34

NATURAL STONE ACCESSORIES

Complete your natural stone paver project with accessories that add that final touch. Pool and wall copings, steps, curbs, pier caps and jumbo slabs are all available to complete your natural stone project.

Natural stone accessories are special order products.



Natural Stone Pier Cap









Natural Stone Wall Stone



PAVERS

TRAVERTINE

Our select-cut travertine offers an upscale appearance that instantly welcomes and defines your space. These multi-shape tiles give you a random pattern that adds visual interest. Border with a contrasting travertine or tumbled paver to add additional dimension to the space. Select-cut travertine is perfect for climates that experience freezethaw cycles.



a) Tra b) Tra c) Tra d) Tra d) Tra e) Tra e) Tra

- a) Travertine Small Square $8" \times 8" \times 1^{1/4}"$
- b) Travertine Small Rectangle 8" $\times\,16$ " $\times\,1^{\,1}\!/_{4}$ "
- c) Travertine Large Square 16" \times 16" \times 1 $^{1}\!/_{4}$ "
- d) Travertine Large Rectangle 16" x 24" x 1 $^{1}\!/_{4}$ "
- e) Travertine Bullnose 12" x 24" x $1^{1}/_{4}$ "

COLORS



PRODUCT SPECS

Blue Marble



Classic Ivory



Greige



Noche



Tuscany



Walnut

Due to variations in printing, color selections should always be chosen from actual product samples. Do not use a plate compactor on Travertine.



PAVERS

PORCELAIN

Our Porcelain pavers are a collection of colored body porcelain tile surfaces of 20 mm thickness that are ideal outdoor solutions for commercial and residential applications.

PRODUCT SPECS



a) **Porcelain** - 24" x 24"

Select non-stock items available in 18"x36" and 12"x 48".

V4

V2

COLORS

BLUESTONE LOOK





Full Color

LIMESTONE LOOK




Limestone

SLATE LOOK



Multicolor Gold



V2

Vintage Slab







Simply Grey

Warm Sand

QUARTZ LOOK



Barge Gold

WOOD LOOK



Natural Design Walnut





V1

V3

Natural Design Pepper


Due to variations in printing, color selections should always be chosen from actual product samples. Do not use a plate compactor on porcelain pavers.

39



ROSETTA[®] SUPERIOR STEPPERS

Create a meandering pathway or connect two outdoor spaces together using our Rosetta Superior Steppers. Made from the same high-quality materials as our Rosetta line of products, our Superior Steppers compliment all paver and wall products and provide a nice alternative to traditional walk blocks or patio stones.



PRODUCT SPECS



a) **Superior Stepper** - 21" x 27" x 2" Eight different shapes on a cube.

All Superior Steppers are sold by the piece.



COLORS



Cuyahoga Blend



Scioto Blend

INSPIRING SPACES

ROSETTA' BELVEDERE ROSETTA' DIMENSIONAL ROSETTA' KODAH ROSETTA' DIMENSIONAL COPING ROSETTA' OUTCROPPING OLENTANGY BLUFF TREAD" ROSETTA' STEPS EDINGTON WALL STONE NON-WEATHERED VERSA-LOK' MOSAIC



ROSETTA[®] BELVEDERE*

Enhance your landscape with the look of natural stone without the waste or expense. Belvedere incorporates the classic look of stone with a natural texture on both its front and back, making it a perfect choice for free-standing walls or columns.

PRODUCT SPECS



Rosetta® Belvedere* Wall, Corner and Coping – Wall blocks come in different sizes to create a double sided wall

Rosetta^{*} Belvedere also available in corners and copings.


COLORS



Cuyahoga Blend



Scioto Blend



BELVEDERE FIREPIT

The Belvedere Fire Pit creates a rustic sophistication all its own. The Belvedere Fire Pit has an outside diameter of five feet and a height of fourteen inches. The proportions of the fire pit creates a perfect focal point for any occasion—from intimate gatherings to larger events. The Belvedere Fire Pit blends seamlessly with the entire collection of attractive Rosetta^{*} paver and wall lines.



Rosetta[®] Belvedere Firepit Pallet – Each pallet contains all of the 3" and 6" tall pieces and the coping needed to create the fire pit shown above. Outside dimension 58". Fire pit includes black steel ring.




ROSETTA[®] DIMENSIONAL*

The hand-dressed, chiseled texture of Dimensional Wall will truly give your landscape an understated elegance. Garden walls, freestanding walls, columns, and edging are just a few of the many possibilities. Discerning homeowners and design experts are attracted to the formal, yet natural appearance of Dimensional Wall.



PRODUCT SPECS



- a) Rosetta® Dimensional Wall Straight Block* $\ \mbox{-}\ 12" \times 8" \times 4"$
- b) Rosetta® Dimensional Wall Wedge Block* 12" x 8" x 4"

COLORS



Cuyahoga Blend

Scioto Blend



ROSETTA[®] KODAH[®]

The Rosetta® Kodah Wall is the perfect mix of rustic and modern. The wall boasts large scale wall units with linear proportions. Its freshly quarried stone texture compliments a variety of applications.

PRODUCT SPECS

а

b

С

d



a) Kodah Wall - 12" x 10.5" x 6"
b) Kodah Wall - 21" x 10.5" x 6"
c) Kodah Wall - 30" x 10.5" x 6"
d) Kodah Wall - 42" x 10.5" x 6"
a) Kadah Wall Corpor 21" x 10 E" x

COLORS




Cuyahoga Blend

Scioto Blend



ROSETTA[®] DIMENSIONAL COPING[®]

Finish off your wall system with a chiseled, natural stone textured coping. Rosetta® Dimensional Coping complements all wall systems and adds the finishing touch to your natural-looking wall.







ROSETTA[®] OUTCROPPING*

Unlock the beauty and nuance of nature itself in your outdoor setting with the Rosetta® Outcropping Wall Collection. Incorporate the classic look of weather-hewn stone and steps in a variety of natural sculpted faces. Each piece is made of architectural-grade, precast concrete of the finest quality, the integrity of which will not be compromised by weather's unpredictable elements.



OBERFIELDS

PRODUCT SPECS



- a) **Rosetta[®] Outcropping Wall Stone*** 12" H x 42" L (unit shown is one of a 12 piece modular system)
- b) **Rosetta**[®] **Outcropping Wall Stone**^{*} 12" H x 54" L (unit shown is one of a 12 piece modular system)

Rosetta[®] Outcropping Wall Stone Corner 6"* - 6" H x 39" L x 27" D

Rosetta® Outcropping Wall Stone Corner 12"* - 12" H x 48" L x 30" D

COLORS





Cuyahoga Blend

Scioto Blend


Due to variations in printing, color selections should always be chosen from actual product samples. * Not available in MI.



OLENTANGY BLUFF TREAD[™]

Combine the character of natural stone with the proven durability of concrete. Our Olentangy Bluff Tread features a smooth-top and random face texture to ensure a natural and unique appearance.

PRODUCT SPECS



- a) Olentangy Bluff Tread[™] 36" L x 16" D x 6" H
- b) Olentangy Bluff Tread[™] 48" L x 16" D x 6" H
- c) Olentangy Bluff Tread[™] 60" L x 16" D x 6" H
- d) **Olentangy Bluff Tread**[™] 72" L x 16" D x 6" H

COLORS



Cuyahoga Blend



Scioto Blend



ROSETTA **STEPS**

The Rosetta® Step Collection gives you the rugged attractiveness of natural stone but combines it with the safety and comfort of a uniform rise. Rosetta's® Irregular Step is perfect for free-flowing, natural staircases, while Rosetta's® Dimensional Step is ideal for more formal, sophisticated settings.





Packaged Together



All irregular steps have 7" rise 42" L x 17" D x 7" H 42" L x 26" D x 7" H 54" L x 22" D x 7" H 48" L x 24" D x 7" H 48" L x 28" D x 7" H 60" L x 24" D x 7" H

b) Rosetta® Dimensional Steps*

All dimensional steps have 7" rise 36" L x 18" D x 7" H 48" L x 18" D x 7" H 72" L x 30" D x 7" H

COLORS





Cuyahoga Blend

Scioto Blend




EDINGTON WALL STONE

Perfect for the homeowner doing a small decorative wall, or a party-friendly seat wall, our Edington Wall Stone® is an attractive and practical improvement upon nature's finest. Edington Wall Stone® requires no mortar and can be used in curved or straight walls, planters, columns and as steps. Available in both tumbled and non-tumbled.



PRODUCT SPECS



a) Edington Wall Stone^{*} - 12" x 8" x 4" b) Edington Wall Stone^{*} Wedge - 12" x 8" x 4" c) Non-Tumbled Edington Wall Stone^{*} - 12 " × 8 " × 4 " d) Non-Tumbled Edington Wall Stone[®] Wedge - 12 " × 8 " × 4 "

COLORS (Shown in tumbled)



Canyon Creek Blend





Earth Blend



Quarrystone Blend

EDINGTON[®] FIRE PIT KIT

Build a fire pit in no time with our Edington[®] Fire Pit Kit. This kit has an outside diameter of 48" and a height of 12". Kit includes a steel metal ring. Optional precast caps are available for a different look at an additional cost. Great for small fires, roasting marshmallows and hot dogs.



Outside dimension 48"





Limestone



BANDING AND ACCENTS



Charcoal

Due to variations in printing, color selections should always be chosen from actual product samples.




NON-WEATHERED VERSA-LOK

When looking for a retaining wall unit that is engineered to retain heavy loads, Versa-Lok's[®] solid unit durability is the perfect fit. Versa-Lok[®] is the only solid, true top to bottom pinned system on the market. It's durable, design friendly, and virtually maintenance free attributes handle the harshest conditions.



PRODUCT SPECS



- a) **Versa-Lok**® 16" (face) x 14" (rear) x 12" D x 6" H
- b) Smooth Top Versa-Lok $^{\rm \tiny B}$ 16 $^{\rm \tiny T}$ (face) x 14 $^{\rm \tiny T}$ (rear) x 12 $^{\rm \tiny T}$ D x 6 $^{\rm \tiny T}$ H
- c) **Rectangular Cap** 16" (face) x 115/8" D x 35/8" H
- d) Solid Corner 77/8" (face) x 12" D x 6" H
- e) Full Return Corner 16" (face) x 77/8" D x 6" H


COLORS



Flagstone Blend

Granite Blend


Gray Blend




NON-WEATHERED VERSA-LOK[®]MOSAIC[®]

Four different segmental retaining wall options:

Standard, Accent, Cobble and Mosaic[®]. Our Non-Weathered Versa-Lok[®] Mosaic[®] Retaining walls can create everything from small, four-foot backyard walls to 40-foot serpentine walls. Use the three sizes together to form the Mosaic[®] System or separate for three unique walls.




PRODUCT SPECS



- a) Versa-Lok[®] Non-Weathered Standard 16" (face) x 14" (rear) x 12" D x 6" H
- b) Versa-Lok* Non-Weathered Cobble 8" (face) x 12" D x 6" H
- c) Versa-Lok* Non-Weathered Accent 12" (face) x 12" D x 4" H
- d) **Rectangular Cap** 16" (face) x 11⁵/8" D x 3⁵/8" H
- e) **Solid Corner** 77/8" (face) x 12" D x 6" H
- f) **Full Return Corner** 16" (face) x 77/8" D x 6" H

COLORS



Canyon Creek Blend

Earth Blend




Flagstone Blend

Granite Blend




WEATHERED VERSA-LOK[®]MOSAIC[®]

Recreate the intimate setting of a quaint European countryside right in your own backyard using Weathered Versa-Lok® Mosaic® Retaining Walls. Marvel at the age-old craftsmanship each and every randompatterned Mosaic® wall exudes. Three unique Versa-Lok® units-Standard, Cobble, and Accent-combine to form a Mosaic® wall that's redolent of another age.



PRODUCT SPECS



- a) Versa-Lok[®] Weathered Standard 16"(face) x 14"(rear) x 12" D x 6" H
- b) Weathered Cobble 8" (face) x 12" D x 6" H
- c) Weathered Accent 12" (face) x 12" D x 4" H
- d) **Rectangular Cap** 16" (face) x 11⁵/8" D x 3⁵/8" H
- e) Solid Corner Unit 77/8" (face) x 12" D x 6" H
- f) **Full Return Corner** 16" (face) x 7⁷/8" D x 6" H

COLORS



Canyon Creek Blend



Earth Blend





Flagstone Blend

Granite Blend

EDINGTON

Build a fire pit in no time with our Edington Fire Pit Kit. Place base units on 4-6 inches of prepared compacted base and adhere units as you construct. Great for small fires, roasting marshmallows and hot dogs. Available in both tumbled and non-tumbled Edington's.



KIT COMPONENTS

- 39 Edington Wall Stone Wedge Units
- 3 10 oz. Tubes of Adhesive
- Steel Ring
- Optional Grill Grate
- Optional Precast Rockface Caps

EDINGTON COLORS







Earth Blend

Canyon Creek Charcoal Blend





Desert Sand

Quarrystone Blend

PRECAST CAP COLORS



Cuyahoga Blend

Blend







BELVEDERE FIRE PIT KIT*

The Belvedere Fire Pit creates a rustic sophistication all its own. The Belvedere Fire Pit has a diameter of approximately five feet and a height of fourteen inches, the proportions of the fire pit creates a perfect focal point for any occasion—from intimate gathers to larger events. The Belvedere Fire Pit blends seamlessly with the entire collection of attractive Rosetta® paver and wall lines. Kit includes steel metal ring.



BELVEDERE COLORS





Cuyahoga Blend

Scioto Blend

KIT COMPONENTS

- 52 Rosetta[®] Belvedere Units
- 3 10 oz. Tubes of Adhesive
- Steel Ring
- Optional Grill Grate

Due to variations in printing, color selections should always be chosen from actual product samples. * Not available in MI.

66

ROSETTA[®] DIMENSIONAL FIRE KIT

The Dimensional Wall Fire Pit Kit features handhewn stone texture with consistent dimensions to create a natural looking square fire pit.



OVERALL DIMENSIONS 12" H × 44" W × 44" D

KIT COMPONENTS

- 36 Rosetta[®] Dimensional Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner

COLORS





Cuyahoga Blend

Scioto Blend

ROSETTA[®] KODAH FIRE KIT

The Dimensional Wall Fire Pit Kit features handhewn stone texture with consistent dimensions to create a natural looking square fire pit.



OVERALL DIMENSIONS 12" H × 48" Diameter

KIT COMPONENTS

- 21 Rosetta® Kodah Wall Units
- 3 10 oz. Tubes of Adhesive
- Steel Liner
- Optional Grill Grate

COLORS



Cuyahoga Blend



Scioto Blend

KITS

EDINGTON PUB TABLE KIT

Add additional entertaining space with our Pub Table Kit. The large table top allows plenty of room to enjoy drinks or a snack. The bottom foot rest is great for propping up your feet. Available in both tumbled and non-tumbled Edington's.



DIMENSIONS 42"H × 48"W × 48"D

EDINGTON **GRILL KIT**

Ideal for advanced installers that would like to create a professional outdoor grilling station. Constructed from our popular Edington Wall Stone units, this kit allows you to drop in the included grill, for a clean and professional grill station. The kit is large enough to both cook at or entertain guests at. Available in both tumbled and non-tumbled Edington's.



KIT COMPONENTS

- 36 Edington Wall Stone pieces - stocked kit colors below
- 1-42" Table Top with 2" hole
- 1-28" Foot Rest with 2" hole
 - Both pieces 3" thick - The 2" hole fits standard umbrella (not included)

EDINGTON COLORS







• 2-10 oz. Tubes

of Adhesive

(non stock)

• Optional 42" Round

Table Top with 2" hole

Canyon Creek Blend





Desert Sand



Flagstone Limestone Blend Blend

Quarrystone Blend

PRECAST CAP COLORS

Charcoal



Cuyahoga Blend

Scioto Blend



KIT COMPONENTS

- 1 Three-Burner Built-In Grill
- Grill Doors
- 190 Edington Wall Stone Units
- 1 Precast Counter Top
- 1 Case of Adhesive
- 1 Steel Lintel 40"

EDINGTON COLORS







Canyon Creek Blend

Desert Sand





Blend

PRECAST COUNTERTOP COLORS

Scioto Blend









KITS



Earth Blend

Quarrystone



Cuvahoga Blend

SPECIAL ORDER COLORS

VINTAGE FLAT TOP WASHINGTON®



Vintage Antique Blend Vintage Desert Sand Blend (14's only)

PORCELAIN (18"x 36")





Pietra di Barge



PORCELAIN (12"x 48")

Pietra di Bagnolo

Soul Grey

Gold

TRAVERTINE

Silver

Section 1

Sight Grey

Source Beige

Point Silver

EDINGTON WALL STONE



NON-WEATHERED VERSA-LOK[®]



Brown

NON-WEATHERED VERSA-LOK[®] MOSAIC



Chestnut Blend

WEATHERED VERSA-LOK[®] MOSAIC




Chestnut Blend

Due to variations in printing, color selections should always be chosen from actual product samples. Textured pavers require a buffer between the plate compactor and paver surface to prevent scuffing.

Soul Wallnut








FIREROCK[®] FIREPLACES

36"









Model	Overall Height	Overall Depth	Overall Width	Overall Diameter	Firebox Opening Height	Smoke Chamber Height	Weight in Pounds
30" Outdoor Fireplace	76.63"	28.5"	38"	n/a	29.38"	23"	1900
36" Outdoor Fireplace	84.75"	28.5"	44"	n/a	38"	23"	2100
42" Outdoor Fireplace	106.13"	28.5"	50"	n/a	38"	32.5"	2600
36" Arched Front Outdoor Fireplace	84.75"	28.5"	44"	n/a	34"*	23"	2160
42" Arched Front Outdoor Fireplace	106.13"	28.5"	50"	n/a	34"*	32.5"	2670

*Measurement at top of arch. ** Height Extension Kit adds 6 inches to overall height. The kit also adds 320-1512 lbs depending on the width of the FireRock.


DENZ OUR NEW ALL-IN-ONE SEALER IS THE DIFFERENCE MAKER.

How many reasons do you need?

Our new Dura Denz All-In-One penetrating sealer enhances color and texture, stabilizes joint sand, and protects against mold, moss and algae. Formulated to resist UV rays, Dura Denz Sealers help to retain the pavers original color while also repelling water and stains. It can be applied immediately after installation on a clean, dry installation and is rain safe in 60 minutes.

Dura Denz Sealers are formulated to give maximum coverage for up to 5-6 years. Although formulated in conjunction with the Americana Collection pavers, Dura-Denz Sealers may also be applied to any type of concrete paver, clay paver, flat and stamped concrete, and masonry surfaces such as concrete walls, exposed aggregate and retaining walls.

Make sure you ask your contractor about this very important last step to a professional grade finish. By committing to an easy maintenance plan, you can keep stains from penetrating your hardscape surface and make a world of difference to the look and longevity of your paver project!



COLUMN CAPS



Rockface Column Cap

STOCKED ROCKFACE CAP SIZES

24" x 24" x 2" 24" x 24" x 3" 28" x 28" x 2" 28" x 28" x 3"

Natural Stone Pier Cap & Coping



Rosetta[®] Belvedere Column Cap



PRECAST CAP COLORS




Blend



Scioto Blend

Bullnose Column Cap

FIREPLACES & FIRE PITS





Belvedere Fire Pit Kit



Dimensional Wall Fire Pit





Custom Belvedere Fire Pit






KICHLER® LIGHTING

Let your landscape lighting illuminate every occasion and invite people into your home safely and beautifully highlighting walkways, architectural elements, gathering spaces, water features and more. A landscape lighting professional can show you all of the possibilities to deliver the best, most efficient lighting to bring your home to life.

Kichler. Landscape Lighting offers some of the most technologically advanced products available. They are engineered and tested to perform under extreme environmental conditions and are backed by Kichler's industry-leading 15 year warranty.



ENJOY THE OUTDOORS **UNDER A SHADE**

PAVILIONS

Pavilions can be an extension of your home, or a freestanding structure providing shade and visual interest to your yard.

PERGOLAS

If you want to immerse yourself in the outdoors, but enjoy some sun protection, pergolas are a perfect fit.


GAZEBOS

Gazebos allow you to enjoy the outdoors while being comfortable and sheltered.



PAVER PATTERNS

LEXINGTON





				-
		L	L	
				Ι
	Τ			
				Ι

Running Bond 10, 14, or 21


Muster D 40% Lexington 14 60% Lexington 21

PLYMOUTH





Muster K 28% Lexington 14 72% Lexington 21




45º Herringbone


90º Herringbone

JAMESTOWN

AMERICANA COLLECTION








MALIBU

Running Bond


OZARK & MANHATTAN





Pattern A

NEWPORT

Pattern A







Basketweave


90º Herringbone


45º Herringbone

Pattern A

Pattern B

FLAT TOP WASHINGTON[®] & VINTAGE FLAT TOP WASHINGTON[®] PAVERS





<mark>┙╷┙╷┙</mark>	_
┝┰┻┰┻┰┻	
	Т


Running Bond

10, 14, or 21


Muster D 40% Wash. 14 60% Wash. 21

Muster K 28% Wash. 14 72% Wash. 21


NATURAL STONE PAVERS



Running Bond 11.81" x 23.62", 17.72" x 23.62", or 23.62" x 35.43"



4 Piece Random 25% 11.81" x 23.62" 30% 17.72" x 23.62" 25% 23.62" x 35.43" 20% 23.62" x 23.62"




Jumbo Muster K 28% Large Sq. 72% Jumbo Rec.

S C F


7 F 1

TRAVERTINE PAVERS



French Pattern

LEXINGTON CIRCLE® PAVER



	Row	Circle Dia.	Installation Pattern	Paver Description Series				
First Circle	1	5 1/2″	Single	2 Half Circle Pieces				
Pack	2	16 1/2″	Single	8 Large Wedges				
	3	27 1/2″	Alternate	8 Large Wedges, 8 Lex. 10's				
	4	38 1/2″	Single	26 Small Wedges				
	5	49 1/2″	Single	33 Small Wedges				
	6	60 1/2″	Single	42 Small Wedges				
	7	71 1/2″	Alternate	25 Small Wedges, 25 Lex. 10's				
	8	82 1/2″	Alternate	29 Small Wedges, 29 Lex. 10's				
	9	93 1/2″	Alternate	34 Small Wedges, 34 Lex. 10's				
Second	10	104 1/2″	Alternate	38 Small Wedges, 38 Lex. 10's				
Circle Pack	11	115 1/2″	Alternate	42 Small Wedges, 42 Lex. 10's				
	12	127″	Alternate	46 Small Wedges, 46 Lex. 10's				
	13	138″	Alternate	50 Small Wedges, 50 Lex. 10's				
Additional Pieces	14 & Up		Single	As needed				
Notes	Due to the complex shapes of the pieces in a circle, there will be some extra pieces not used for standard installation.							

Half Circle Pieces = +6 units waste

Large Wedge Pieces = 0 units waste

Small Wedge Pieces = +3 units waste

Lexington 10 Pieces = you will need to add 6 extra 10's to complete layer 12, and 50 extra 10's to complete layer 13.

PACKAGING REFERENCE GUIDE

PAVER PRODUCTS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT per SQ. FT
Flat Top Washington [®] 14	Х	5 1/2" x 5 1/2" x 2 3/8"	140 mm x 140 mm x 60 mm	29
Flat Top Washington [®] 21	Х	5 1/2" x 8 1/4" x 2 3/8"	140 mm x 210 mm x 60 mm	29
Vintage Flat Top Washington [*] 14	Х	5 ¹ /2" x 5 ¹ /2" x 2 ³ /8"	140 mm x 140 mm x 60 mm	29
Vintage Flat Top Washington [*] 21	Х	5 1/2" x 8 1/4" x 2 3/8"	140 mm x 210 mm x 60 mm	29
Lexington [®] 10	×	4 ¹ /8" × 5 ¹ /2" × 2 ³ /8"	105 mm × 140 mm × 60 mm	29
Lexington [®] 14	×	5 1/2" × 5 1/2" × 2 3/8"	140 mm × 140 mm × 60 mm	29
Lexington [®] 21	Х	4 ¹ /8" × 8 ¹ /4" × 2 ³ /8"	140 mm × 210 mm × 60 mm	29
Lexington Circle [®] Requires one layer of Lexington 10s to assemble 11 6" diameter circle	Х	N/A	N/A	29
Plymouth®	Х	4" × 8" × 2 ³ /8"	100 mm × 200 mm × 60 mm	29
Malibu* Small Rectangle	Х	4 3/4" × 9 3/8" × 2 3/8"	120 mm × 240 mm × 60 mm	29
Malibu" Small Rectangle	Х	9 ³ /8" × 9 ³ /8" × 2 ³ /8"	240 mm × 240 mm × 60 mm	29
Malibu Large Rectangle	×	9 3/8" × 14 1/8" × 2 3/8"	240 mm × 360 mm × 60 mm	29
Ozark [*] Small Rectangle	Х	7 1/8" × 14 1/8" × 2 3/8"	180 mm × 360 mm × 60 mm	29
Ozark' Square	Х	14 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	360 mm × 360 mm × 60 mm	29
Ozark® Large Rectangle 7명	×	14 ¹ /8" × 21 ¹ /4" × 2 ³ /8"	360 mm × 540 mm × 60 mm	29
Manhattan® Small Rectangle	X	7 1/8" × 14 1/8" × 2 3/8"	180 mm × 360 mm × 60 mm	29
Manhattan [®] Small Rectangle	×	14 ¹ /8" × 14 ¹ /8" × 2 ³ /8"	360 mm × 360 mm × 60 mm	29
Manhattan [®] Large Rectangle	×	14 ¹ /8" × 21 ¹ /4" × 2 ³ /8"	360 mm × 540 mm × 60 mm	29
Newport' Small Rectangle	Х	11 3/4" × 17 3/4" × 2 3/8"	300 mm × 300 mm × 60 mm	29
Newport' Square	х	11 ³ /4" × 11 ³ /4" × 2 ³ /8"	300 mm × 450 mm × 60 mm	29
Newport" Large Rectangle	Х	11 3/4" × 23 5/8" × 2 3/8"	300 mm × 600 mm × 60 mm	29
Jamestown [®] Smooth and Textured	×	2 5/8" × 7 7/8" × 2 3/8"	67 mm × 200 mm × 60 mm	29
Single Bullnose Paver	Х	6" x 12" x 2 ³ /8"	152 mm x 305 mm x 60 mm	30.0
Vintage Single Bullnose Paver	Х	6" × 12" × 2 ³ /8"	152 mm x 305 mm x 60 mm	30.0
Double Bullnose Paver	Х	6" × 12" × 2 ³ /4"	152 mm x 305 mm x 70 mm	30.0
Vintage Double Bullnose Paver	X	6" × 12" × 2 ³ /4"	152 mm x 305 mm x 70 mm	30.0
Rosetta' Grand Flagstone¥	Х	15 unique shapes at 1 3/4" thickness, sold by layers	N/A	20.5
Rosetta" Dimensional Flagstone¥	X	Random sizes available (See page 29 for dimensions)	N/A	24.0
Rosetta' Superior Steppers¥	×	21" x 27" x 2" (Dimensions vary slightly by paver)	533 mm x 686 mm x 51 mm	N/A

NATURAL STONE	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT per SQ. FT
Natural Stone	Х	11.81" × 23.62"	300mm x 600mm	13.2
Natural Stone	Х	17.72" x 23.62"	450mm x 600mm	13.2
Natural Stone	Х	23.62" × 23.62"	600mm x 600mm	13.2
Natural Stone	Х	23.62" × 35.43"	600mm x 900mm	13.2
Natural Stone Limestone	Х	11.81″ × 23.62″	300mm x 600mm	16.5
Travertine	Х	Random sizes available (See page 37 for dimensions)	Varies in size	15.0

PORCELAIN PRODUCTS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	UNITS per BOX	UNITS PER CUBE
Porcelain	×	24" × 24"	600 mm x 600 mm x 20 mm	2	60
Porcelain		18" x 36"	457 mm x 914 mm x 20 mm	2	54
Porcelain		12" × 48"	305 mm x 1219 mm x 20 mm	2	32

SPECIAL NOTES: * Asterisk denotes non-stocked shape or color

¥ Not available in Michigan

+ Also available in Weathered

Larger circles can be obtained by adding additional Lexington 10's

Due to the complex size of the pieces in a circle, there will be some extra pieces. Weight per Cube does not include pallet weight.

* * * * * AMERICANA COLLECTION * * * *

UNITS per SQ. FT.	UNITS per LAYER	LAYERS per CUBE	UNITS per CUBE	WEIGHT F CUBE	er SQ. FT. pef UNIT	R SQ. FT. per LAYER	SQ. FT. per CUBE	COLOR STOCKED
4.76	56		504	3069	0.21	12.50	105.84	Canyon Creek, Charcoal, Earth, Flagstone, Granite
3.17	42		336	3074	0.32	17.00	106	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Granite
4.76	56		504	3069	0.21	12.50	105.84	Vintage: Canyon Creek, Charcoal, Earth, Flagstone, Granite
3.17	42		336	3074	0.32	17.00	106	Vintage: Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Granite
6.34	72	9	648	2965	0.16	11.36	102.24	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Granite
4.76	56	9	504	3069	0.21	11.76	105.84	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Granite
3.17	42	8	336	3074	0.32	13.25	106	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Granite
N/A	76	9	608	3011	N/A	12.98	103.84	Canyon Creek, Desert Sand, Earth, Flagstone, Granite
4.7	54	9	486	2999	0.21	11.48	103.32	Canyon Creek, Charcoal, Cream, Desert Sand, Earth, Flagstone, Granite
3.23	13	8	104	2851	0.31	4.03	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
1.64	6	8	48	2851	0.61	3.66 3.66	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
1.09	5	8	40	2851	0.92	4.6 ⁴ .7	98.32	Canyon Creek, Earth, Flagstone, Granite, Storm
1.43	3	10	30	3024	0.70	^{2.1} 7 §	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
0.72	3	10	30	3024	1.39	2.1 Combined s	104.3	
0.48	2	10	20	3024	2.08	4.16 - 4.16	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm Canyon Creek, Earth, Flagstone, Granite, Storm
1.43	3	10	30	3024	0.7	2.1 7 §	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
0.72	3	10	30	3024	1.39	2.1 Combined sq. 4.17	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
0.48	2	10	20	3024	2.08	4.16 - ,	104.3	Canyon Creek, Earth, Flagstone, Granite, Storm
0.69	2	9	18	3020	1.45	^{2.9} 7 §	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
1.04	3	9	27	3020	0.96	2.9 combined s 2.88 2.88	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
0.52	3	9	27	3020	1.93	5.79 _ .≉	104.13	Canyon Creek, Earth, Flagstone, Granite, Storm
7.14	78	5	390	1583	0.14	10.92	54.6	Charcoal
N/A	56	3	168	2318	N/A	N/A	84	Canyon Creek, Charcoal, Dark Chocolate, Desert Sand, Earth, Flagstone
N/A	56	3	168	2318	N/A	N/A	84	Canyon Creek, Charcoal, Dark Chocolate, Desert Sand, Earth, Flagstone
N/A	48	3	144	2160	N/A	N/A	72	Canyon Creek, Charcoal, Dark Chocolate, Desert Sand, Earth, Flagstone
N/A	48	3	144	2160	N/A	N/A	72	Canyon Creek, Charcoal, Dark Chocolate, Desert Sand, Earth, Flagstone
N/A	N/A		32	2160	N/A	N/A	88	Cuyahoga, Scioto
N/A	N/A		48	2350	N/A	12.25	98	Cuyahoga, Scioto
N/A	N/A		24	1950	N/A	N/A	N/A	Cuyahoga, Scioto
UNITS per SQ. FT.	UNITS per BAND		WEIGHT per CUBE	SQ. FT. per UNIT	SQ. FT. per BAND	SQ. FT. per CUBE	COLOR STO	OCKED
N/A	N/A	80	2000	N/A	N/A	160	Bronte, Dov	/e Grey, Flint, Fossil, Slate Grey
N/A	N/A	80	2800	N/A	N/A	240	Bronte, Dov	e Grey, Flint, Fossil, Slate Grey
N/A	N/A	40	2000	N/A	N/A	160	Bronte, Dov	ve Grey, Flint, Fossil, Slate Grey
N/A	N/A	40	2800	N/A	N/A	240	Bronte, Dov	ve Grey, Flint, Fossil, Slate Grey
N/A	N/A	74	2100	N/A	N/A	148	Kota Black	, Silver Grey
N/A	N/A	N/A	2640	N/A	N/A	176	Blue Marbl	e, Classic Ivory, Griege, Noche, Tuscany, Walnut
BOXES per CUBE	SQ. FT. per UNIT	SQ. FT. per BOX	TOTA SQ. F CUBE	T. per WE		WEIGHT per CUBE	COLOR STO	DCKED
30	3.875	7.75	233	7	3.20	2196	Bluestone,	Concrete, Limestone, Quartz, Slate, Wood
27	4.36	8.72	235	8	2.31	2223	Non-Stock	
16	3.875	7.75	124	7	3.16	1171	Non-Stock	

Paver Color Blends: Canyon Creek= buff, charcoal, maroon; Desert Due to color variations of pavers, it is advisable to remove them Sand= buff; Earth=brown, buff, charcoal; Flagstone=buff, charcoal, gray; Granite=charcoal, gray; Storm=brown, light grey, black.

from multiple pallets to insure optimal color blending.

RETAINING WALL PACKAGING REFERENCE GUIDE

DescriptionXRadom sear solubleVarian size9.64Routh' Roberton ConservationXRadom sear solubleVarian subsetXRouth' Roberton ConservationXRadom sear solubleVarian subsetXRoberton ConservationXRoberton ConservationXRoberton Co	RETAINING WALL PRODUCTS	STOCKED	NOMINAL DIMENSIONS	DIMENSIONS	WEIGHT per SQ. FT
Reset of Selvedere Coping VXRandom sizes availableVaries in sizeN/ABoutch Dimensional Walls VXBoutch Size availableVaries in sizeNABoutch Olimensional Walls VXBoutch Size availableVaries in sizeNAReset V Kold Well CommXRandom Sizes AvailableVaries in sizeNAReset V Kold Well CommX21 Print x 105 depth x 61 heightSize m x 20 mm x 152 mmNARosets V Kold Well CommX21 Print x 105 depth x 51 heightVaries in SizeNARosets V Kold Well CommX24 Print x 125 depth x 25 heightVaries in SizeNARosets V Kold Coping - Encinent PolX24 Print x 125 depth x 25 heightVaries in SizeNARosets V Kold Coping - Encinent PolX24 Print x 125 depth x 25 heightVaries in SizeNARosets V Kold Kold Kold Well CommX24 Print x 15 depth x 25 heightVaries in SizeNARosets V Kold Kold Kold Well TraceX24 Print x 15 depth x 5 height94 mm x 450 mm x 152 mmNAOlehtangy Buf Trace **X25 Print x 16 depth x 6 height152 mm x 406 mm x 152 mmNAOlehtangy Buf Trace **X27 front x 16 depth x 7 height152 mm x 406 mm x 152 mmNAOlehtangy Buf Trace **X27 front x 16 depth x 7 height150 mm x 406 mm x 152 mmNARoseta Unimational Steps 3*X27 front x 16 depth x 7 height150 mm x 406 mm x 152 mmNARoseta Unimational Steps 3*X27 front x 16 depth x 7 height <td>Rosetta*Belvedere Walls$^{\downarrow}$</td> <td>×</td> <td>Random sizes available</td> <td>Varies in size</td> <td>91.667</td>	Rosetta * Belvedere Walls $^{\downarrow}$	×	Random sizes available	Varies in size	91.667
Rosetta Dimensional Wall ^A X Rendom sizes available Varies in size N/A Rosetta Dimensional Wedge ^X X Random Sizes Available Varies in size N/A Rosetta Rodah Wall X Random Sizes Available Varies in size N/A Rosetta Dimensional Coping - Ensisted Tamage X 21° front x 105° depth x 25° height Varies in Size N/A Rosetta Dimensional Coping - Ensisted Tamage X 21° front x 105° depth x 25° height Varies in Size N/A Rosetta Dimensional Coping - Ensisted Tamage X 30° front x 105° depth x 25° height Varies in Size N/A Rosetta Dimensional Coping - Ensisted Tamage X 30° front x 105° depth x 25° height Varies in Size N/A Rosetta Dimensional Coping - Ensisted Tamage X 30° front x 105° more table Varies in Size N/A Rosetta Dimensional Coping - Ensisted Tamage X 30° front x 10° front x 10° flopth x 5° height 914 mm x 40° mm x 152 mm N/A Rosetta Dimensional Steps X X 30° front x 10° depth x 5° height 524 mm x 40° mm x 152 mm N/A Centangy Bulf Tread ^m X 22° front x 10° depth x 5° height 524 mm x 40° mm x 152 mm N/A<	Rosetta [*] Belvedere Corners [¥]	×	Random sizes available	Varies in size	63.33
Increation Investment XX Rendom Sizes available Varies in size N/A Resettral Kodan Well XX Rendom Sizes Available Varies in size N/A Resettral Kodan Well XX 21" front x 105" dopth x 6" height 53" mm x 857 mm x 152" mm N/A Resettral Tomensoned Coping - Standard XX 21" front x 105" dopth x 6" height S3" mm x 857 mm x 152" mm N/A Resettral Tomensoned Coping - Standard XX 24" front x 125" dopth x 6" height Varies in Size N/A Resettral Tomensoned Coping - Standard XX 24" front x 125" dopth x 6" height Varies in Size N/A Resettral Outersceing M XX 36" front x 12" dopth x 6" height 914 mm x 206 mm x 152 mm N/A Clentange Buff Tread " XX 48" 0"/r front x 16" dopth x 6" height 1524 mm x 406 mm x 152 mm N/A Clentange Buff Tread " XX 42" 60" front x 16" dopth x 6" height 1524 mm x 406 mm x 152 mm N/A Clentange Buff Tread " XX 42" 60" front x 16" dopth x 7" height 152 mm x 406 mm x 152 mm N/A Resettral Tomesonal Stops 3" XX 42" front x 16" dopth x 7" height 12" mm x 457 mm x 178 mm N/A <td>Rosetta*Belvedere Coping$^{\downarrow}$</td> <td>×</td> <td>Random sizes available</td> <td>Varies in size</td> <td>N/A</td>	Rosetta * Belvedere Coping $^{\downarrow}$	×	Random sizes available	Varies in size	N/A
Rosothal Kodoh Wall X Random Sizes Available Varies in size N/A Rosettal Kodoh Wall Conner X 21º front x 10.5° depth x 6° height 533 mm x 267 mm x 152 mm N/A Rosettal Dimensional Coping - Enables X 19º front x 12.5° depth x 6° height Varies in Size N/A Rosettal Dimensional Coping - Enable X 19º front x 12.5° depth x 6.2° height Varies in Size N/A Rosettal Dimensional Coping - Enable X 24º front x 12.5° depth x 6.2° height Varies in Size N/A Olortangy Bluff Tread ** (Front worthern way use 19°) X 38º front x 16° depth x 6° height 192 mm x 406 mm x 152 mm N/A Olertangy Bluff Tread ** (Front worthern way use 19°) X 48º front x 16° depth x 6° height 192 mm x 406 mm x 152 mm N/A Olertangy Bluff Tread ** (Front worthern way use 19°) X 48º front x 16° depth x 6° height 192 mm x 406 mm x 152 mm N/A Olertangy Bluff Tread ** X 60° front x 16° depth x 6° height 192 mm x 406 mm x 152 mm N/A Olertangy Bluff Tread ** X 40° front x 17° depth x 6° height 192 mm x 407 mm x 178 mm N/A R	Rosetta * Dimensional Wall $^{\downarrow}$	×	Random sizes available	Varies in size	84
Rosetta' Kodah Wall Corner X 2/1' front x 10.5' depth x 25' height S33 mm x 267 mm x 152 mm N/A Rosetta' Dimensional Coping - Funshed End Soctta' Dimensional Coping - Long X 19' front x 12.5' depth x 25' height Varies in Size N/A Rosetta' Dimensional Coping - Long X 24' front x 12.5' depth x 25' height Varies in Size N/A Rosetta' Dimensional Coping - Long X 24' front x 12.5' depth x 25' height Varies in Size N/A Clentangy Buff Tread *** X 36' front x 16' depth x 6' height Diam x 406 mm x 152 mm N/A Olentangy Buff Tread *** X 60' front x 16' depth x 6' height Dis7 mm x 406 mm x 152 mm N/A Olentangy Buff Tread *** X 60' front x 16' depth x 6' height Dis7 mm x 406 mm x 152 mm N/A Olentangy Buff Tread *** X 60' front x 16' depth x 7' height 122 mm x 406 mm x 152 mm N/A Rosetta' Dimensional Steps A ¹⁴ X 36' front x 16' depth x 7' height 124 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps A ¹⁴ X 42'' forit x 30' depth x 7' height 124 mm x 457 mm x 178 mm N/A Rosetta' D	Rosetta * Dimensional Wedge $^{\downarrow}$	×	Random sizes available	Varies in size	N/A
Rosotta' Dimensional Coping - Standard Rosetta' Dimensional Coping - Einshed Ein generati- Dimensional Coping - Einshed Ein generati- Dimensional Coping - Long Rosetta' Dimensional Coping - Long Rosetta' Dimensional Coping - Long Rosetta' Dimensional Coping - Long 	Rosetta [*] Kodah Wall	×	Random Sizes Available	Varies in size	N/A
Resetta' Dimensional Coping - Finished End Rosetta' Dimensional Coping - Long N/A N/A Rosetta' Dimensional Coping - Long X 24' from x 12.5' depth x 2.5' height Varies in Size 222.22 Oentangy Buff Treed '' X 38' front x 16' depth x 6' height 91 drom x 406 mm x 152 mm N/A Oentangy Buff Treed '' X 38' front x 16' depth x 6' height 125 mm x 406 mm x 152 mm N/A Oentangy Buff Treed '' X 48 1/2'' front x 16' depth x 6' height 125 mm x 406 mm x 152 mm N/A Oentangy Buff Treed '' X 60' front x 16' depth x 6' height 182 mm x 406 mm x 152 mm N/A Oentangy Buff Treed '' X 60' front x 16' depth x 6' height 182 mm x 406 mm x 152 mm N/A Rosetta' Inegular Steps 4' X 36' front x 16' depth x 7' height Varies in size N/A Rosetta' Dimensional Steps 4' X 36' front x 16' depth x 7' height 129 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 4' X 12' front x 16' depth x 4' height 300 mm x 200 mm x 100 mm 90 Edinpton Wall Stone' X 12' front x 16' depth x 4' height	Rosetta [®] Kodah Wall Corner	×	21" front x 10.5" depth x 6" height	533 mm x 267 mm x 152 mm	N/A
Rosetta Umbraduat Val Zal Indix X25 depth X25 height Varias in size INA Rosetta Dutchopping [¥] X Walk corner (6° & 12°) available Varias in size 22222 Olentargy Bluff Tread "* X 35' front x 16' depth x 6' height 91 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 45 1/2" front x 16' depth x 6' height 1524 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 45 1/2" front x 16' depth x 6' height 1829 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 42' fo0' front x 16' depth x 6' height 1829 mm x 406 mm x 152 mm N/A Rosetta' Imegular Steps ³⁴ XX 36' front x 16' depth x 7' height 1929 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 4' ⁴⁴ XX 48' front x 18' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Rosetta' Dimensional Steps 4' ⁴⁴ XX 12' front x 8'' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Rosetta' Dimensional Steps 4' ⁴⁴ XX 12' front x 8'' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Ron-Tum	Rosetta* Dimensional Coping - Standard	×	18" front x 12.5" depth x 2.5" height	Varies in Size	N/A
Rosetta Umbraduat Val Zal Indix X25 depth X25 height Varias in size INA Rosetta Dutchopping [¥] X Walk corner (6° & 12°) available Varias in size 22222 Olentargy Bluff Tread "* X 35' front x 16' depth x 6' height 91 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 45 1/2" front x 16' depth x 6' height 1524 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 45 1/2" front x 16' depth x 6' height 1829 mm x 406 mm x 152 mm N/A Olentargy Bluff Tread "* XX 42' fo0' front x 16' depth x 6' height 1829 mm x 406 mm x 152 mm N/A Rosetta' Imegular Steps ³⁴ XX 36' front x 16' depth x 7' height 1929 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 4' ⁴⁴ XX 48' front x 18' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Rosetta' Dimensional Steps 4' ⁴⁴ XX 12' front x 8'' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Rosetta' Dimensional Steps 4' ⁴⁴ XX 12' front x 8'' depth x 4'' height 300 mm x 200 mm x 100 mm 90 Ron-Tum	Rosetta [®] Dimensional Coping - Finished End	×	19" front x 12.5" depth x 2.5" height	Varies in Size	N/A
Olentancy Bluff Tread "* (mont with can vary up to 157)X36" front x 16" depth x 6" height914 mm x 406 mm x 152 mmN/AOlentancy Bluff Tread "* (mont work can vary up to 157)X48 1/2" front x 16" depth x 6" height1527 mm x 406 mm x 152 mmN/AOlentancy Bluff Tread "*X60" front x 16" depth x 6" height1524 mm x 406 mm x 152 mmN/AOlentancy Bluff Tread "*X72" front x 16" depth x 6" height1829 mm x 406 mm x 152 mmN/ARosettar Tregular Steps ¥X42"- 60" front x 17"-22" depth x 7" height914 mm x 457 mm x 179 mmN/ARosettar Dimensional Steps 3*X36" front x 18" depth x 7" height1219 mm x 457 mm x 179 mmN/ARosettar Dimensional Steps 4*X77" front x 30" depth x 7" height1829 mm x 767 mm x 179 mmN/ARosettar Dimensional Steps 6*X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Edington Wall Stone*X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone*X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm123Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16" front x 15" depth x 6" height300 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 6" height300 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 6" height<	Rosetta" Dimensional Coping - Long	×	24" front x 12.5" depth x 2.5" height	Varies in Size	N/A
Olentary Bluff Tread "" (*met wicht on wey up to 15") X 48 ½" front x 16" depth x 6" height 1257 mm x 406 mm x 152 mm N/A Olentaryg Bluff Tread " X 60" front x 16" depth x 6" height 1524 mm x 406 mm x 152 mm N/A Olentaryg Bluff Tread " X 72" front x 16" depth x 6" height 1829 mm x 406 mm x 152 mm N/A Rosetta' Irregular Steps ⁴ X 42"-60" front x 17"-28" depth x 7" height 914 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 3 ¹⁴ X 36" front x 18" depth x 7" height 1219 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 4 ¹⁴ X 48" front x 18" depth x 7" height 129 mm x 457 mm x 178 mm N/A Rosetta' Dimensional Steps 6 ¹⁴ X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 90 Edington Wall Stone" X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 75 Non-Tumbled Edington Wall Stone X 12" front x 18" depth x 6" height 300 mm x 200 mm x 100 mm 72 Non-Weathered Versa-Lok' Standard X 16" front x 12" depth x 6" height 406 mm x 305 mm x 152 mm 123 Non-Weat	Rosetta [*] Outcropping [¥]	×	Wall, corner (6" & 12") available	Varies in size	222.22
Olentargy Bluff Tread "X60° front x 16° depth x 6° height1524 mm x 406 mm x 152 mmN/AOlentargy Bluff Tread "X72° front x 16° depth x 6° height1829 mm x 406 mm x 152 mmN/ARosetta' Irregular Steps ¥X42°-60° front x 17°-20° depth x 7° heightVaries in sizeN/ARosetta' Dimensional Steps 4 ^V X36° front x 18° depth x 7° height914 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 4 ^V X48° front x 18° depth x 7° height1219 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6 ^V X72° front x 30° depth x 7° height1829 mm x 762 mm x 178 mmN/AEdington Wall Stone'X12° front x 8° depth x 4° height300 mm x 200 mm x 100 mm90Edington Wall Stone'X12° front x 8° depth x 4° height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone'X12° front x 8° depth x 4° height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX12° front x 12° depth x 6° height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Stond TopX16° front x 12° depth x 6° height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X8° front x 12° depth x 6° height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' CobbleX12° front x 12° depth x 6° height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' CobbleX12° front x 12° depth x 6° height203 mm x 305 mm x 152 mm123Non-Weathered Versa-	Olentangy Bluff Tread ™	×	36" front x 16" depth x 6" height	914 mm x 406 mm x 152 mm	N/A
Olertangy Bluff Tread "X72" front x 16" depth x 6" height1829 mm x 406 mm x 152 mmN/ARosetta' Irregular Steps*X42"- 60" front x 17"-28" depth x 7" heightVaries in sizeN/ARosetta' Dimensional Steps 3'*X36" front x 18" depth x 7" height914 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6'*X48" front x 18" depth x 7" height1219 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6'*X72" front x 30" depth x 7" height1829 mm x 762 mm x 178 mmN/AEdington Wall Stone"X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Edington Wall StoneX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' CobbleX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX16" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height306 mm x 305 mm x 152 mm123Non	Olentangy Bluff Tread ™ (Front width can vary up to 1.5")	×	48 $^{1}\!/^{2^{\prime\prime}}$ front x 16" depth x 6" height	1257 mm x 406 mm x 152 mm	N/A
Rosetta' Irregular Steps ¥X $42"-60"$ front x 17"-28" depth x 7" heightVaries in sizeN/ARosetta' Dimensional Steps 3'¥X36" front x 18" depth x 7" height914 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 4'¥X48" front x 18" depth x 7" height1219 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6'¥X72" front x 30" depth x 7" height1829 mm x 762 mm x 178 mmN/AEdington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Edington Wall WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall StoneX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone Wedge'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Weathered Versa-Lok' StandardX16" front x 15" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 6" height203 mm x 305 mm x 152 mm131Non-Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm132Non-Weathered Versa-Lok' CobbleX8" front x 115" depth x 6" height203 mm x 305 mm x 152 mm133Non-Weathered Versa-Lok' Solid Corner'X12" front x 11" depth x 6" height305 mm x 305 mm x 152 mm133 <t< td=""><td>Olentangy Bluff Tread ™</td><td>×</td><td>60" front x 16" depth x 6" height</td><td>1524 mm x 406 mm x 152 mm</td><td>N/A</td></t<>	Olentangy Bluff Tread ™	×	60" front x 16" depth x 6" height	1524 mm x 406 mm x 152 mm	N/A
Rosetta' Dimensional Steps 3 ⁴⁴ X36'' front x 18' depth x 7'' height914 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 4 ⁴⁴ X48'' front x 18' depth x 7'' height129 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6 ⁴⁴ X72'' front x 30'' depth x 7'' height1829 mm x 762 mm x 178 mmN/AEdington Wall Store'X12'' front x 8'' depth x 4'' height300 mm x 200 mm x 100 mm90Edington Wall WedgeX12'' front x 8'' depth x 4'' height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone'X12'' front x 8'' depth x 4'' height300 mm x 200 mm x 100 mm76Non-Tumbled Edington Wall Stone Wedge'X12'' front x 8'' depth x 4'' height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX16'' front x12'' depth x 6'' height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16'' front x12'' depth x 6'' height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X8'' front x12'' depth x 6'' height203 mm x 305 mm x152 mm123Non-Weathered Versa-Lok' Solid Corner'X12'' front x12'' depth x 6'' height203 mm x 305 mm x152 mm123Non-Weathered Versa-Lok' StandardX12'' front x12'' depth x 6'' height203 mm x 305 mm x152 mm123Non-Weathered Versa-Lok' StandardX12'' front x12'' depth x 6'' height305 mm x 305 mm x152 mm123Non-Weathered Versa-Lok' StandardX16'' front x12'' depth x 6'' height305 mm x	Olentangy Bluff Tread ™	×	72" front x 16" depth x 6" height	1829 mm x 406 mm x 152 mm	N/A
Rosetta' Dimensional Steps 4'¥X48" front x 18" depth x 7" height1219 mm x 457 mm x 178 mmN/ARosetta' Dimensional Steps 6'¥X72" front x 30" depth x 7" height1829 mm x 762 mm x 178 mmN/AEdington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Edington Wall WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall StoneX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall StoneX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 15/8" depth x 3"/8" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Full Return Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX12" front x 12" depth x 6" height306 mm x 305 mm x 152 mm123 <td>Rosetta[*] Irregular Steps[¥]</td> <td>×</td> <td>42"- 60" front x 17"-28" depth x 7" height</td> <td>Varies in size</td> <td>N/A</td>	Rosetta [*] Irregular Steps [¥]	×	42"- 60" front x 17"-28" depth x 7" height	Varies in size	N/A
Rosetta' Dimensional Steps 6'*X72" front x 30" depth x 7" height1829 mm x 762 mm x 178 mmN/AEdington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Edington Wall WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone Wedge'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone Wedge'X16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Non-Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X12" front x 12" depth x 6" height307 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' ScandardX16" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16" front x 15" depth x 6" height303 mm x 305 mm x 152 mm<	Rosetta [*] Dimensional Steps $3'^{ij}$	×	36" front x 18" depth x 7" height	914 mm x 457 mm x 178 mm	N/A
Edington Wall Stone' X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 90 Edington Wall Wedge X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 75 Non-Tumbled Edington Wall Stone' X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 90 Non-Tumbled Edington Wall Stone Wedge' X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 90 Non-Tumbled Edington Wall Stone Wedge' X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 90 Non-Weathered Versa-Lok' Standard X 12" front x 8" depth x 4" height 300 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Solid Corner' X 16" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Solid Corner' X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Accent X 12" front x 12" depth x 6" height 305 mm x 305 mm x 152 mm 123 Non-Weathered Vers	Rosetta [®] Dimensional Steps 4' [¥]	×	48" front x 18" depth x 7" height	1219 mm x 457 mm x 178 mm	N/A
Edington Wall WedgeX12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Tumbled Edington Wall Stone'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone Wedge'X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Smooth TopX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 6" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X10" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX10" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 3" for height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 15" depth x 6" height303 m	Rosetta * Dimensional Steps 6' $^{ extsf{Y}}$	×	72" front x 30" depth x 7" height	1829 mm x 762 mm x 178 mm	N/A
Non-Tumbled Edington Wall Stone"X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm90Non-Tumbled Edington Wall Stone Wedge"X12" front x 8" depth x 4" height300 mm x 200 mm x 100 mm75Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Smooth TopX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Rectangular Retaining Wall CapX16" front x 15/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Non-Weathered Versa-Lok' Full Return Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Solid Corner'X12" front x 12" depth x 6" height203 mm x 305 mm x 102 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height305 mm x 305 mm x 102 mm123Non-Weathered Versa-Lok' Solid Corner'X16" front x 12" depth x 6" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' Solid Corner'X16" front x 11" front x 12" depth x 6" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' Solid Corner'X16" front x 11" front x 15" depth x 5"/8" height397 mm x 295 mm x 92 mm123Weathered Versa-Lok' Solid Corner'X16" front x 11" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Weathered Versa-L	Edington Wall Stone*	×	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	90
Non-Tumbled Edington Wall Stone Wedge' X 12" front x 8" depth x 4" height 300 mm x 200 mm x 100 mm 75 Non-Weathered Versa-Lok' Standard X 16" front x 12" depth x 6" height 406 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Smooth Top X 16" front x 12" depth x 6" height 406 mm x 305 mm x 152 mm 123 Non-Weathered Rectangular Retaining Wall Cap X 16" front x 12" depth x 6" height 397 mm x 295 mm x 92 mm 51 Non-Weathered Versa-Lok' Solid Corner' X 77/8" front x 12" depth x 6" height 203 mm x 406 mm x 152 mm 48 Non-Weathered Versa-Lok' Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Accent X 8" front x 12" depth x 6" height 305 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Standard X 12" front x 12" depth x 6" height 305 mm x 305 mm x 152 mm 123 Non-Weathered Versa-Lok' Standard X 12" front x 115/8" depth x 3" front x 15 mm 305 mm x 305 mm x 152 mm 123	Edington Wall Wedge	×	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	75
Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' Smooth TopX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Rectangular Retaining Wall CapX16" front x 115/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Non-Weathered Versa-Lok' Solid Corner'X8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm48Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 115/8" depth x 5/8" height307 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 115/8" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Solid Corner'X8" front x 16" depth x 6" h	Non-Tumbled Edington Wall Stone*	×	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	90
Non-Weathered Versa-Lok' Smooth TopX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Non-Weathered Rectangular Retaining Wall CapX16" front x 115/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Non-Weathered Versa-Lok' Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX12" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 112" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 112" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 112" depth x 6" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 115/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height307 mm x 305 mm x 152 mm41Weathered Versa-Lok' Solid Corner'X8" front x 115/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X8" front x 115/8" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Full Return Corner'X8" front x 12	Non-Tumbled Edington Wall Stone Wedge*	×	12" front x 8" depth x 4" height	300 mm x 200 mm x 100 mm	75
Non-Weathered Rectangular Retaining Wall CapX16" front x 115/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Non-Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Non-Weathered Versa-Lok' Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' StandardX16" front x 115/8" depth x 5/8" height397 mm x 295 mm x 92 mm123Weathered Versa-Lok' StandardX16" front x 112" depth x 6" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' Solid Corner'X16" front x 115/8" depth x 5/8" height397 mm x 295 mm x 92 mm123Weathered Versa-Lok' Solid Corner'X16" front x 115/8" depth x 5/8" height305 mm x 305 mm x 152 mm123Weathered Versa-Lok' Solid Corner'X16" front x 115/8" depth x 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height	Non-Weathered Versa-Lok* Standard	×	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Non-Weathered Versa-Lok' Solid Corner'X $77/8"$ front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Non-Weathered Versa-Lok' Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 406 mm x 152 mm41Weathered Versa-Lok' Solid Corner'X8" front x 115 /8" depth x 5 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' CobbleX8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Solid Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48	Non-Weathered Versa-Lok* Smooth Top	×	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Non-Weathered Versa-Lok' Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Non-Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok' AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok' StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Weathered Rectangular Retaining Wall CapX16" front x 11" depth x 6" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok' Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Full Return Corner'X8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' CobbleX8" front x 16" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Full Return Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok' Full Return Corner'X8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48Weathered Versa-Lok' CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48	Non-Weathered Rectangular Retaining Wall Cap	×	16" front x 11 ⁵ /8" depth x 3 ⁵ /8" height	397 mm x 295 mm x 92 mm	51
Non-Weathered Versa-Lok* CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123Non-Weathered Versa-Lok* AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok* StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Weathered Rectangular Retaining Wall CapX16" front x 11 5/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok* Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok* Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Weathered Versa-Lok* CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48	Non-Weathered Versa-Lok* Solid Corner*	×	7 ⁷ /8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	41
Non-Weathered Versa-Lok* AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123Weathered Versa-Lok* StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Weathered Rectangular Retaining Wall CapX16" front x 11 5/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok* Solid Corner*X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok* Full Return Corner*X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Weathered Versa-Lok* CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm123	Non-Weathered Versa-Lok* Full Return Corner*	×	8" front x 16" depth x 6" height	203 mm x 406 mm x 152 mm	48
Weathered Versa-Lok* StandardX16" front x 12" depth x 6" height406 mm x 305 mm x 152 mm123Weathered Rectangular Retaining Wall CapX16" front x 11 5/8" depth x 3 5/8" height397 mm x 295 mm x 92 mm51Weathered Versa-Lok* Solid Corner'X77/8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm41Weathered Versa-Lok* Full Return Corner'X8" front x 16" depth x 6" height203 mm x 406 mm x 152 mm48Weathered Versa-Lok* CobbleX8" front x 12" depth x 6" height203 mm x 305 mm x 152 mm48	Non-Weathered Versa-Lok* Cobble	×	8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	123
Weathered Rectangular Retaining Wall Cap X 16" front x 11 ⁵ /8" depth x 3 ⁵ /8" height 397 mm x 295 mm x 92 mm 51 Weathered Versa-Lok* Solid Corner* X 77/8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 41 Weathered Versa-Lok* Full Return Corner* X 8" front x 16" depth x 6" height 203 mm x 406 mm x 152 mm 48 Weathered Versa-Lok* Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123	Non-Weathered Versa-Lok* Accent	×	12" front x 12" depth x 4" height	305 mm x 305 mm x 102 mm	123
Weathered Versa-Lok* Solid Corner* X 77/8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 41 Weathered Versa-Lok* Full Return Corner* X 8" front x 16" depth x 6" height 203 mm x 406 mm x 152 mm 48 Weathered Versa-Lok* Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 48	Weathered Versa-Lok* Standard	×	16" front x 12" depth x 6" height	406 mm x 305 mm x 152 mm	123
Weathered Versa-Lok* Full Return Corner* X 8" front x 16" depth x 6" height 203 mm x 406 mm x 152 mm 48 Weathered Versa-Lok* Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123	Weathered Rectangular Retaining Wall Cap	×	16" front x 11 ⁵ /8" depth x 3 ⁵ /8" height	397 mm x 295 mm x 92 mm	51
Weathered Versa-Lok* Cobble X 8" front x 12" depth x 6" height 203 mm x 305 mm x 152 mm 123	Weathered Versa-Lok* Solid Corner*	Х	7 ⁷ /8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	41
	Weathered Versa-Lok* Full Return Corner*	Х	8" front x 16" depth x 6" height	203 mm x 406 mm x 152 mm	48
Weathered Versa-Lok* AccentX12" front x 12" depth x 4" height305 mm x 305 mm x 102 mm123	Weathered Versa-Lok* Cobble	Х	8" front x 12" depth x 6" height	203 mm x 305 mm x 152 mm	123
	Weathered Versa-Lok [®] Accent	X	12" front x 12" depth x 4" height	305 mm x 305 mm x 102 mm	123

SPECIAL NOTES: * Asterisk denotes non-stocked shape or color

¥ Not available in Michigan


⁺ Also available in Weathered

UNITS per SQ. FT.	UNITS per BAND	UNITS per CUBE	WEIGHT per CUBE	SQ. FT. per UNIT	SQ. FT. per LAYER	SQ. FT. per CUBE	COLOR STOCKED
N/A	N/A	N/A	2475	N/A	N/A	27.00	Cuyahoga, Scioto
N/A	N/A	N/A	1520	N/A	N/A	24.00	Cuyahoga, Scioto
N/A	N/A	N/A	1550	N/A	N/A	66.00/LNFT	Cuyahoga, Scioto
3.00	N/A	75	2100	N/A	N/A	25.00	Cuyahoga, Scioto
3.00	N/A	100	2000	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	18	2400	N/A	N/A	21.00	Cuyahoga, Scioto
N/A	N/A	16	1600	N/A	N/A	21.00	Cuyahoga, Scioto
N/A	N/A	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Scioto
N/A	N/A	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Scioto
N/A	N/A	N/A	1950	N/A	N/A	63.00/LNFT	Cuyahoga, Scioto
N/A	N/A	N/A	4000	N/A	N/A	18.00	Cuyahoga, Scioto
N/A	N/A	8	2240	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	8	2984	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	6	2802	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	4	2240	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	6	3150	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	6	2250	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	6	2730	N/A	N/A	N/A	Cuyahoga, Scioto
N/A	N/A	3	3960	N/A	N/A	N/A	Cuyahoga, Scioto
3.00	N/A	100	2880	0.333	N/A	32.00	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Limestone, Quarrystone
3.00	N/A	90	2400	0.333	N/A	30.00	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Limestone, Quarrystone
3.00	N/A	132	2880	0.333	N/A	32.00	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Limestone, Quarrystone
3.00	N/A	90	2400	0.333	N/A	30.00	Canyon Creek, Charcoal, Desert Sand, Earth, Flagstone, Limestone, Quarrystone
1.50	N/A	32	2624	0.667	N/A	21.33	Antique, Canyon Creek, Charcoal, Chestnut, Desert Sand, Earth, Flagstone, Granite, Gray
1.50	N/A	32	2624	0.667	N/A	21.33	Antique, Canyon Creek, Charcoal, Chestnut, Desert Sand, Earth, Flagstone, Granite, Gray
N/A	N/A	48	2304	N/A	N/A	N/A	Antique, Canyon Creek, Charcoal, Chestnut, Desert Sand, Earth, Flagstone, Granite, Gray
3.00	N/A	64	2624	N/A	N/A	N/A	Antique, Canyon Creek, Charcoal, Chestnut, Desert Sand, Earth, Flagstone, Granite, Gray
N/A	N/A	48	2304	N/A	N/A	N/A	Antique, Canyon Creek, Charcoal, Chestnut, Desert Sand, Earth, Flagstone, Granite, Gray
3.00	N/A	64	2624	0.333	N/A	21.33	Canyon Creek, Earth, Flagstone, Granite
3.00	N/A	60	2422	0.333	N/A	20.00	Canyon Creek, Earth, Flagstone, Granite
1.50	N/A	32	2624	0.667	N/A	21.33	Canyon Creek, Earth, Flagstone, Granite
N/A	N/A	48	2304	N/A	N/A	N/A	Canyon Creek, Earth, Flagstone, Granite
3.00	N/A	64	2624	N/A	N/A	N/A	Canyon Creek, Earth, Flagstone, Granite
N/A	N/A	48	2304	N/A	N/A	N/A	Canyon Creek, Earth, Flagstone, Granite
3.00	N/A	64	2624	0.333	N/A	21.33	Canyon Creek, Earth, Flagstone, Granite
3.00	N/A	60	2422	0.333	N/A	20.00	Canyon Creek, Earth, Flagstone, Granite

Retaining Wall Color Blends: Antique+=black, red; Canyon Creek= buff, charcoal, maroon;

Chestnut=buff, brown; Earth=brown, buff, charcoal; Flagstone=buff, charcoal, gray; Granite=charcoal, gray







OBERFIELDS CONCRETE PAVER & RETAINING WALLS WARRANTY

OBERFIELDS provides a limited lifetime warranty of its paver, slab, and dry cast wall products and Rosetta^{*} family of precast products for residential applications against manufacturing defects. This Warranty is provided to the original purchaser only, with the original proof of purchase, and is non-transferable.

This Warranty is valid if the material is installed and maintained under industry standards or OBERFIELDS LLC guidelines. Color variances and the appearance of efflorescence do not substantiate a warranty claim. Any product deemed to be defective will be replaced at no charge; however, shipping costs or costs relating to the removal of defective material and replacement labor are not included in this warranty. Color matching cannot be guaranteed.

oberfields.com 800.845.7644



SALES - CORPORATE OFFICE

Masonry, Landscape & Precast

528 London Road Delaware, Ohio 43015 614-252-0955 740-369-7644 800-845-7644 Fax 740-363-7644

SALES & MANUFACTURING

Masonry, Landscape & Precast

4033 Alum Creek Drive Obetz, Ohio 43207 614-252-0955 Fax 614-252-5858

Masonry, Landscape & Precast

10075 Sheehan Road Centerville, Ohio 45458 937-885-3711 Fax 937-885-4355

